



**BIG  
DEALS**

# TABLE OF CONTENTS

**UNBELIEVABLE DEALS**

**3-14**

**NEW PRODUCTS AND VENDORS**

**15-34**

## UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
3D Maxpider.....	3	Del West.....	6	MGP Caliper Cover.....	9	Reese.....	12
Aeromotive.....	3	Detroit Speed Engineering.....	6	Mickey Thompson.....	9,10	Richmond.....	12
Afe Power.....	3	Earls.....	6	Milodon.....	10	Rjs Safety.....	12
Air Lift.....	3	Eibach.....	7	Moroso.....	10	Rugged Radios.....	13
Allstar Performance.....	3,4	Flowmaster.....	7	Motive Gear.....	10	Sparco.....	13
Alpinestars USA.....	4	Fox Factory Inc.....	7	MSD Ignition.....	10,11	Sportsman Racing Products.....	13
Aero Race Wheels.....	4	Fluidampr.....	7	Nitrous Oxide Systems.....	11	Stainless Works.....	13
Autometer.....	4	Gibson Exhaust.....	7	Oberg Filters.....	11	Strange.....	13
Bassett.....	5	Hawk Brake.....	7	PAC Racing Springs.....	11	Triple X Race Components.....	13
Bedrug.....	5	Hellwig.....	7	Patriot Exhaust.....	11	Vibrant Performance.....	13
Bestop.....	5	Hooker.....	7,8	PEM.....	11	Weiland.....	13
Billet Specialties.....	5	Holley.....	8	Penske Racing Shocks.....	11	Wolf Aircraft Products.....	14
Bilstein.....	5	Hoosier.....	8	Pertronix Ignition.....	11	Weld Racing.....	14
BSB Manufacturing.....	5	B2 Helmets (Head Pro Tech).....	8	PFC Brakes.....	11	Westin.....	14
Chassis Engineering.....	5	Impact Racing.....	8	Piaa.....	11	Wiseco.....	14
Chevrolet Performance.....	5	Jaz.....	8	Prothane.....	11	Woodward Machine.....	14
Cold Air Inductions.....	5	K1 Technologies.....	9	Powertrax.....	12	XS Power Battery.....	14
Competition Engineering.....	5	KC Hilites.....	9	Pyrotec.....	12	Yukon Gear And Axle.....	14
Coker Tire.....	5,6	King Racing Products.....	9	Quick Fuel Technology.....	12	Zamp.....	14
Comp Cams.....	6	Leed Brakes.....	9	Quick Time.....	12	Zycoat.....	14
Corsa Performance.....	6	Macs Custom Tie-Downs.....	9	Racequip.....	12		
Dart.....	6	Magnaflow Perf Exhaust.....	9	Ram Clutch.....	12		
Darton Sleeves.....	6	March Performance.....	9	Rancho.....	12		














## NEW PRODUCTS INDEX

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aero Wheels.....	18	Ford Racing.....	29	MPD Racing.....	15	Superior Fuel Cells.....	22
Afe Power.....	30	G Force Crossmembers.....	28	Peterson Fluid Systems.....	19	TI22 Performance.....	15
AFR.....	29	GT Performance.....	31	Proform.....	33	Tiger Rear Ends.....	22
Allstar Performance.....	34	Hellwig.....	30	PRW.....	28	Torco.....	33
Alpinestars.....	16	Holley.....	26	QA1.....	19	Turbosmart.....	25
Bell Tech.....	29	Holley.....	27	Quartermaster.....	19	Wehrs Machine.....	20
Bestop.....	30	Hooker.....	21	Quicktime Bellhousings.....	21	Wehrs Machine.....	21
Bilstein.....	15	ICT Billet.....	33	Race Tec New Vendor!.....	23	Wilwood.....	21
BMR Suspension.....	31	Intercomp.....	18	Race Tec New Vendor!.....	24	Zamp Racing.....	22
Carr.....	28	Joes Racing Products.....	18	Ridetech.....	29		
Corsa Performance.....	22	Jones Racing Products.....	18	Schoenfeld Headers.....	19		
Enderle.....	15	K and N Engineering.....	32	Simpson.....	21		
FiTech.....	28	K.S.E. Racing.....	15	Strange Oval Track.....	18		
Flowmaster.....	31	Leed Brakes.....	33	Sunoco.....	22		
Fluidyne.....	17	March Performance.....	33	Superchips.....	33		

## NEW VENDOR



**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>3D MAXPIDER</b>			
<b>1st &amp; 2nd Row Kagu Floor Liner for 2019-21 GM 1500 Trucks</b> Black textured Kagu front floor liners for 2007–13 standard cab GM pickups. Kit.		M3DL1GM02501509	
<b>AEROMOTIVE</b>			
<b>A1000 In-Line Brushless Fuel Pump</b> In-line A1000 electric fuel pump flows up to 900 lbs/hr at 9 psi for carbureted applications or 700 lbs/hr at 45 PSI for EFI. Brushless pump features -10AN female O-Ring inlet/outlet. E85 and gas compatible. Each.		AFS11183	
<b>AFE POWER</b>			
<b>Momentum Air Intake System 2015 Corvette 6.2L</b> Momentum air induction system features both oiled and dry reusable filters and fits 2015 6.2L Corvettes. Kit.		AFE52-74202-1	
<b>AIR LIFT</b>			
<b>Air Lift 1000 Air Spring Kit</b> Air Lift 1000 rear air spring kit includes bag and lines, and provides a 1000-lb load capacity. Fits 2005–2012 Nissan SUVs. Kit.		AIR60810	
<b>LoadLifter 5000 Ultimate Rear Air Spring Kit 4WD</b> Loadlifter 5000 ultimate rear air spring kit features bags, black powder-coated brackets, and lines. Max capacity of 5000 lbs. Fits 2004–14 Ford F-150 4WD. Kit.		AIR88200	
<b>LoadLifter 5000 Ultimate Rear Air Spring Kit 2WD</b> Loadlifter 5000 ultimate rear air spring kit includes bags, black powder-coated brackets, and lines. Max capacity of 5000 lbs. Fits 2004–14 Ford F-150 2WD. Kit.		AIR88228	
<b>ALLSTAR PERFORMANCE</b>			
<b>Heavy-Duty Engine Cradle for SBC/BBC</b> Heavy-duty black powder-coated engine cradle for BBC/SBC, hardware included. 1" square tube. Each.		ALL10132	
<b>Medium-Head Multi-Grip Rivet—Silver, 250-Pack</b> Multi-grip 1/2" head aluminum rivets feature natural finish, 3/16" steel mandrel, and 1/16"-3/8" grip range. Box of 250.		ALL18090	
<b>Floor Plates</b> 6" x 6" steel roll cage floor plates. Set of 6.		ALL22640	
<b>1964-66 Ford Mustang Radiator</b> Aluminum radiator for 1964–66 Ford Mustang measure 19-3/4" W x 21" H x 2-1/4" D. Passenger side inlet/outlet. Each.		ALL30308	
<b>Valve Cover Breather</b> Clamp-on round reusable valve cover breather for 1-1/2" O.D. tube. Chrome. Each.		ALL36202	
<b>Caliper Spacer Superlite, .190" Thick</b> Aluminum .190" thick brake pad spacers for Wilwood Superlite calipers. Each.		ALL42043	
<b>#3 Braided Steel Line -3AN Female Straight/-3AN Female Straight</b> 15" braided steel #3 line with -3AN straight female to -3AN straight female ends. PTFE lined. Each.		ALL46300-15	
<b>#4 Braided Steel Line -4AN Female Straight/-4AN Female Straight</b> 36" braided steel #4 line with -4AN straight female to -4AN straight female ends. PTFE lined. Each.		ALL46400-36	
<b>#4 Braided Steel Line -4AN Female Straight/-4AN 90 Female</b> 48" braided steel #4 line with -4AN straight female to -4AN 90° female ends. PTFE lined. Each.		ALL46402-9	


















**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>#4 Braided Steel Line -4AN Female Straight/-4AN 90 Female</b> 9" braided steel #4 line with -4AN straight female to -4AN 90° female ends. PTFE lined. Each.		ALL46402-48	
<b>Proportioning Valve</b> Knob type aluminum proportioning valve features 1/8" NPT female inlet to 1/8" NPT female outlet. Each.		ALL48025	
<b>Double D Steering Shaft 24" x 3/4"</b> Double D universal steel steering shaft is 24" long with 3/4" O.D. and natural finish. Each.		ALL52175	
<b>3/16" Flat Tabs w/ 1/2" Hole, 4-Pack</b> Flat chassis tabs are 3/16" thick with 1/2" mounting hole. Set of 4.		ALL60006	
<b>3/16" Flat Tabs w/ 1/2" Hole, 25-Pack</b> Flat chassis tabs are 3/16" thick with 1/2" mounting hole. Set of 25.		ALL60006-25	
<b>Battery Charging Posts, 1 Pair</b> Top post-style remote battery terminals with 3/8-16" studs, require 1-1/4" hole for mounting. Pair.		ALL76139	
<b>Oil Filter Adapter SBC/GenIV BBC</b> Aluminum adapter with bypass valve bolts to block and has 13/16"-16 threads to accept oil filter. Fits 1968-96 SB Chevy including LT1 and 1968-90 Gen IV BB Chevy Engines. Each.		ALL92000	
<b>Bolt Kit for ALL92000 Oil Filter Adapter</b> Black oxide bolt kit for ALL92000 oil filter adapter.		ALL92001	
<b>ALPINESTARS USA</b>			
<b>SP V2 Driving Shoe, Dark Gray, Size 10.5</b> SP V2 dark gray mid-top driving shoes are SFI 3.3 rated and feature a suede outer with fire-resistant nomex inner. Size 10-1/2. Pair.		ALP2710621-11-10.5	
<b>Knoxville V2 Suit , Black, 2X-Large/3X-Large</b> Knoxville V2 triple-layer one-piece driving suit features SFI 3.2A rating, fire-retardant fabric, and a boot-cut design. Size 66 for 2X-large/3X-large. Each.		ALP3355921-12-66	
<b>AERO RACE WHEELS</b>			
<b>Wide-5 15" x 8" Silver Wheels</b> 51-Series silver powder-coated steel wheels feature 3" of backspace, wide-5 bolt pattern, and measure 15" x 8". Each.		ARW51-080530	
<b>AUTOMETER</b>			
<b>2-1/16" Triple Under Dash Pod</b> Lower console gauge pad features three 2-1/16" dia. gauge openings and durable black plastic body. Fits 1999-06 Ford trucks. Each.		ATM15018	
<b>5" Ultra-Lite Electric Speedometer</b> Ultra-Lite analog electric speedometer features programmable settings, reads up to 200 mph, and 5" dia. silver face. Each.		ATM4490	
<b>2-1/16" Fuel Level Gauge</b> Sport-Comp programmable digital fuel level gauge supports 0-280 ohm. 2-1/16" dia black face. Each.		ATM6310	
<b>2-1/16" Water Temp Gauge - Jeep Series</b> Jeep series electric water temperature gauge reads 100-250°F with 2-1/16" dia black face. Each.		ATM880241	
<b>3-3/4" COPO Tachometer</b> COPO 3-3/4" dia. electric tachometer reads up to 10,000 RPM, featuring full sweep, shift light, black face, and pedestal mount. Each.		ATM880879	
















**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>BASSETT</b>			
<b>15" x 8" Spun Steel Wheel w/ 5 x 4.75" Bolt Pattern—Silver</b> 8-spoke D-hole lightweight 15" x 8" wheels feature 5" of backspace and 5 x 4.75" bolt pattern. Silver powder-coated steel. Each.		BAS58SC5S	
<b>BEDRUG</b>			
<b>Impact Bed Liner</b> Impact gray plastic bed liner includes sides/tailgate cover with hook and loop fasteners. Fits 2019-present 6' 7" GM truck beds. Kit.		BEDILC19SBK	
<b>BESTOP</b>			
<b>Under-Seat Lock Box</b> Locking driver side under-seat storage box features black powder-coated steel body and measures 12" x 8-1/2" x 3". Fits 1997-06 Jeep Wrangler TJ. Each.		BES42641-01	
<b>Sun Standard Targa-Style Bikini Soft Top</b> Sun standard Targa-style bikini soft top, black mesh. Fits 2007-16 Jeep Wrangler JK. Kit.		BES52400-11	
<b>BILLET SPECIALTIES</b>			
<b>Street Lite 15" x 3.5" Aluminum Wheel—Black</b> Street Lite billet aluminum 15" x 3.5" wheel features 1.750" backspace, 5 x 4.50" bolt pattern, and a black anodized/polished finish, and measures 15" x 3.5". Each.		BSPBRS035356517N	
<b>Street Lite 15" x 3.5" Aluminum Wheel—Polished</b> Street Lite billet aluminum 15" x 3.5" wheel features 2.250" backspace, 5 x 4" bolt pattern, and a polished finish. Each.		BSPRS035406522N	
<b>BILSTEIN</b>			
<b>Shock - B4 Series</b> B4 Series monotube front shock OE replacement for 1999 Mercedes-Benz E430. Each.		BIL24-021548	
<b>BSB MANUFACTURING</b>			
<b>Split Ring Trailing Arm Bracket LH B-Mod</b> Adjustable driver side clamp-on trailing arm bracket is built from black powder-coated steel and includes hardware. Each.		BSB7361	
<b>CHASSIS ENGINEERING</b>			
<b>Pro Brake Line Plumbing Kit</b> Pro brake line kit includes 25 ft. of 3/16" hard line, brackets, clamps, fittings, and stainless-steel flex lines. Universal kit.		CCE4103	
<b>CHEVROLET PERFORMANCE</b>			
<b>Crate Engine - BBC ZZ572/620HP</b> The ZZ 572 cu. in. big block Chevy crate engine offers 621 HP output. Starter, fuel pump, and ignition coil not included. Each.		GMP19331583	
<b>Crate Engine SBC 350/400 HP</b> Circle Track 400 small block Chevy 350 cu. in. crate engine offers 404 HP output and is not IMCA legal. Carb, starter, water pump, ignition, distributor not included. Each.		GMP19434604	
<b>COLD AIR INDUCTIONS</b>			
<b>Black Cold Air Intake 2005–08 Grand Prix w/ 5.3L</b> Cold air intake system features black powder-coated aluminum housing and reusable oiled filter. Fits 2005–08 Pontiac Grand Prix w/ 5.3L. Kit.		CAI501-0520-B	
<b>COMPETITION ENGINEERING</b>			
<b>38" Aluminum Fenderwells</b> 38" aluminum fenderwells measure 19" H x 23-1/4" W x .032" Thick. Pair.		COE3009	
<b>COKER TIRE</b>			
<b>P205/75R15 American Classic Radial Tire</b> American Classic Collect 205/75R-15 radial tires with white sidewalls. Each.		COK530350	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>COKER TIRE</b>			
<b>P225/70R14 BFGoodrich Redline Radial Tire</b> BFGoodrich Silvertown radial tires measure 225/70R-14 and feature Redline sidewalls. Each.		COK546082	
<b>P225/75R14 Coker Radial Tire</b> Coker classic 225/75R-14 radial tires feature P speed rating, 1797 lb. max load, and white sidewalls. Each.		COK546090	
<b>P205/75R15 BFGoodrich Red Line Tire</b> BFGoodrich Silvertown radial tires measure 205/75R-15 and feature Redline sidewalls. Each.		COK579702	
<b>P215/70R15 BFGoodrich Silvertown Radial Tire</b> BFGoodrich Silvertown radial tires measure 215/70R-15 and feature white sidewalls. Each.		COK579760	
<b>P275/60R15 BFG T/A RWL Tire</b> BFGoodrich Silvertown radial T/A tires measure 275/60R-15 and feature white letter sidewalls. Each.		COK6308000	
<b>COMP CAMS</b>			
<b>SBC 4&amp;7 Swap C/T Solid Cam 47S 278X0S</b> Mechanical Flat Tappet camshaft with 0.531"/0.525" lift, 278°/284° duration, 106° LSA, and 3000-6800 RPM range. For small block Chevy. Each.		COM12-688-47	
<b>Stud Girdle</b> Red anodized aluminum stud girdle for 3/8-24" studs. Fits small block Chevy. Kit.		COM4007	
<b>CORSA PERFORMANCE</b>			
<b>Sport Axle-Back Exhaust Kit</b> Sport axle-back exhaust system features 2-3/4" dia. pipe, 4-1/2" polished tips, and stainless body. Fits 2014-18 6.2L Chevy Corvette. Kit.		COR14764	
<b>Cat-Back Exhaust System</b> Sport cat-back exhaust system features 3" dia. stainless steel pipes, dual rear exits, and dual 4" black tips. Fits 2018-21 For Mustang. Kit.		COR21042BLK	
<b>DART</b>			
<b>BBC Big M Iron Block—10.200" Deck/4.600" Bore</b> Big M bare iron block features 4.600" bore, 10.200" deck, 4-bolt main, and 2-piece seal. Big block Chevy. Each.		DRT31213654	
<b>SBF Aluminum Block—9.500" Deck/4.125" Bore</b> Race series bare aluminum block features 4.125" bore, 9.500" deck, 351C main, 4-bolt main, and 1-piece seal. Small block Ford. Each.		DRT31345235	
<b>DARTON SLEEVES</b>			
<b>Replacement Cylinder Sleeve - 3.525 Bore - Ford 4.6L DOHC</b> Iron replacement cylinder sleeve, 3.525" bore, 5.250" height, 3.825" O.D., and .150" wall. Fits Ford 4.6L DOHC. Each.		DAR300-053-DF	
<b>DEL WEST</b>			
<b>Super 7 Shoulder Valve Lock - 5/16" -.050 Radius</b> Super 7° titanium shoulder valve locks feature 5/16" valve stem dia., -.050" radius, and are made from high-quality titanium. Set of 32.		DEL792-C-16	
<b>DETROIT SPEED ENGINEERING</b>			
<b>Engine Mount Bracket Kit - GM LS w/ DSE Subframe</b> Bolt-on black powder-coated steel motor mount kit for LS installation on Detroit Speed hydro-formed subframe. Kit.		DSE060404DS	
<b>EARLS</b>			
<b>Remote Electric Water Pump Plumbing Kit</b> Water pump plumbing kit includes (2) crossover tubes, water pump spacer, gaskets, and hardware. Kit features -12AN female adapter fittings, -12AN ports, -16AN male inlet/outlet and black anodized aluminum body. Fits GM LS-series. Kit.		EARLS0040ERL	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>EIBACH</b>			
<b>Pro-Kit Tesla Performance 2018-20 AWD (4 Springs)</b> Pro series black powder-coated suspension spring kit features 4 steel coil springs for lowering 1" front and 1.4" rear. Fits 2018–20 Tesla 3 AWD. Kit.		EIBE10-87-001-05-22	
<b>Pro-Damper Kit for 2015-17 Mustang</b> Steel front and rear pro-damper kit fits 2015–17 Ford Mustang w/ EcoBoost. Black paint.		EIBE60-35-029-01-22	
<b>FLOWMASTER</b>			
<b>Force II Cat-Back Exhaust System</b> Force II cat-back exhaust system features 2-1/2" dia. steel tube, single side exit, and 3-1/2" polished tip. Fits 2000–03 Dodge Dakota V8. Kit.		FL017278	
<b>Delta Force Cold Air Intake</b> Delta Force cold air intake system features black plastic housing, reusable dry filter, and fits 2009–18 Dodge Ram 1500 5.7L. Kit.		FL0615111D	
<b>Scavenger Series Headers</b> Scavenger Series headers feature metallic ceramic coating, 1-5/8" primary, and 3" ball flange. Fits 1957–74 Chevy Corvette. Pair.		FL0814120	
<b>American Thunder Axle-Back Exhaust Kit</b> American Thunder axle-back exhaust system features 2-1/2" tailpipe, 4" tips, Super 44 series mufflers, and fits 2010–15 Chevy Camaro. Kit.		FL0817483	
<b>American Thunder Cat-Back Exhaust Kit</b> American Thunder cat-back exhaust system features 2-1/2" tailpipe, 3" polished steel tips, a 50 HD series, and fits 2009–present Dodge Ram 1500 4.7L/5.7L. Kit.		FL0817490	
<b>FOX FACTORY INC</b>			
<b>Performance Series 2.0 Reservoir Rear Shock</b> Performance Series 2.0 Reservoir smooth body aluminum rear shock features clear anodized body and a 28.5" extended/16.9" compressed length. Fits 2007–18 Jeep Wrangler JK. Each.		FOX985-24-012	
<b>FLUIDAMPR</b>			
<b>Mitsubishi Harmonic Damper - SFI</b> Internally balanced steel harmonic balancer measures 6.375" O.D. and features black zinc coating. Fits DSM 1990–99 4G63T and 4G65 engines. Each.		FLUG30701	
<b>GIBSON EXHAUST</b>			
<b>Cat-Back Exhaust System</b> Black Elite cat-back exhaust system features single side exit, 3" dia. pipes, and 4" black tips. Fits 2021–23 GM 1500 5.3L SUV. Kit.		GIB615639B	
<b>Exhaust Header</b> Silver ceramic coated performance headers feature stock flange and 1-1/2" primary. Fits 2003–08 Dodge Ram 1500 5.7L. Pair.		GIBGP311S-C	
<b>HAWK BRAKE</b>			
<b>Corvette Z06 HPS Brake Pads</b> 2006–13 Chevy Corvette high-torque front brake pads are made from HPS compound for maximum braking power. Set of 4.		HAWHB531F570	
<b>HELLWIG</b>			
<b>GM Performance Front Sway Bar</b> Chromoly 1-1/8" dia. front sway bar with gray paint finish. Fits 1967–69 GM F-body and 1968–74 X-body. Kit.		HEL55705	
<b>Ford Performance Front Sway Bar</b> Chromoly 1-1/8" dia. front sway bar with gray paint finish. Fits 1967–70 Ford Mustang/Mercury Cougar. Kit.		HEL6707	
<b>HOOKER</b>			
<b>Chevy Headers</b> Super Competition series side-mount headers feature 1-7/8" primary and 4" collector. Black painted steel. Fits 1963–82 Chevy Corvette/ small block Chevy. Pair.		HKR2224	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

















Description	Photo	Part No.	Price
<b>HOOKER</b>			
<b>Blackheart Transmission Crossmember</b> Blackheart steel bolt-on transmission crossmember with black powder-coated finish. Fits 1972-93 Dodge SUV/Trucks with Mopar Gen III hemi. Each.		HKRBHS525	
<b>HOLLEY</b>			
<b>Power Steering Pump Assembly w/ Reservoir</b> GM type-2 iron power steering pump features standard volume and integral reservoir. Each.		HLY198-101	
<b>Sniper Fabricated Intake Manifold for SBC</b> Sniper sheet metal fabricated intake manifold with single plane and square bore. Fits small block Chevy. Kit.		HLY825011	
<b>Sniper Fabricated Intake Manifold for BBC</b> Sniper sheet metal fabricated intake manifold with single plane, dual square bore, and rectangle port. Fits big block Chevy. Kit.		HLY835171	
<b>HOOSIER</b>			
<b>P335/35R-17 DOT Drag Radial Tire</b> D.O.T. drag 335/35/R-17 radial tire features white letter sidewalls. Each.		H0017335DR2	
<b>B2 HELMETS (HEAD PRO TECH)</b>			
<b>Apex Helmet—White, Large</b> Apex full-face large white helmet is Snell SA2020 approved and head/neck support ready. Large. Each.		HPT1531A03	
<b>Vision Helmet—White, Large</b> Vision full-face medium white helmet is Snell SA2020 approved and head/neck support ready. Medium. Each.		HPT1549A02	
<b>Vision Helmet—Metallic Black, Large</b> Vision full-face medium metallic black helmet is Snell SA2020 approved and head/neck support ready. Large. Each.		HPT1549A12	
<b>Vision Helmet—Metallic Silver, Large</b> Vision full-face small metallic silver helmet meets Snell SA2020 approved and head/neck support ready. Small. Each.		HPT1549A21	
<b>Vision Helmet—Metallic Silver, Medium</b> Vision full-face medium metallic silver helmet is Snell SA2020 approved and head/neck support ready. Each.		HPT1549A22	
<b>IMPACT RACING</b>			
<b>Mini-Racer Driving Suit Medium Black/Gray</b> Mini-racer youth medium 1-piece driving suit is SF13.3A/5 rated and made from double-layer fire-resistant Nomex. Black/gray. Each.		IMP21410413	
<b>Mini-Racer Driving Suit Large Black/Gray</b> Mini-racer youth large 1-piece driving suit is SF13.3A/5 rated and made from double-layer fire-resistant Nomex. Black/gray. Each.		IMP21410513	
<b>Mini-Racer Driving Suit X-Large Black/Gray</b> Mini-racer youth X-large 1-piece driving suit is SF13.3A/5 rated and made from double-layer fire-resistant Nomex. Black/gray. Each.		IMP21410613	
<b>JAZ</b>			
<b>16-Gallon Drag Race Cell W/O Foam</b> Pro-street 16-gallon black plastic drag race fuel cell measures 18-1/2"W x 18-1/2"D x 18-1/2"H and features (2) -8AN outlets, -6AN vent, and sending unit. Each.		JAZ255-116-01	
<b>16-Gallon Pro Sport Fuel Cell</b> Pro-street 16-gallon red powder-coated steel fuel cell measures 26"W x 18"D x 10"H and features -8AN outlets, -8AN vent, and foam. Each.		JAZ271-016-01	














**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>K1 TECHNOLOGIES</b>			
<b>Forged Crankshaft w/ 3.750" Stroke for SBC</b> Forged 4340 steel crankshaft with 3.750" stroke. Internally balanced, with 2-piece seal. Fits small block Chevy. Each.		K1T012DAD375	
<b>KC HILITES</b>			
<b>Apollo Pro 5" Light Kit Spot Beam Halogen</b> Apollo Pro-Series surface mount light assembly features two 5" round 55-watt halogen black plastic surface mount lights. Pair.		KCH450	
<b>Pro6 Gravity LED Light Spot Beam Pair</b> Gravity LED Pro6 light assembly includes (2) 6" round 20-watt white LED lights. Surface mount lights are encased in black powder-coated aluminum. Pair.		KCH91301	
<b>KING RACING PRODUCTS</b>			
<b>Wing Line Fittings</b> Premium quick disconnect aluminum fittings feature a black anodized aluminum body. Thread directly onto existing wing valve. -3AN male. Pair.		KRP2436	
<b>LEED BRAKES</b>			
<b>7" Dual Zinc Booster</b> Gold zinc-plated steel master cylinder and booster features 7" O.D., dual integral reservoir, 1-1/8" bore, and fits 1967-72 GM SUV/trucks. Kit.		LEE761A3	
<b>MAGS CUSTOM TIE-DOWNS</b>			
<b>Super Pack Twisted Hook Tie-Down/Axle Strap Combo Kit</b> Tie-down strap Super Pack includes (4) 2" x 8' twisted hook combination ratchet straps and a blue gear bag.		MTD511108	
<b>Tie-Down Ultra Pack Direct Hook Tie-Down &amp; 4 Axle Strap Kit</b> Tie-down strap Ultra Pack includes (4) 2" x 8' direct hook ratchet straps, (4) 24" axle straps, and blue gear bag. Kit.		MTD511218	
<b>MAGNAFLOW PERF EXHAUST</b>			
<b>Performance Axle Back Exhaust System</b> Performance axle-back exhaust system features 2-1/2" dia., dual 3-1/2" stainless steel tips, straight-through muffler, and black ceramic coating. Fits 2007-16 Jeep Wrangler JK. Kit.		MAG15160	
<b>MARCH PERFORMANCE</b>			
<b>Serpentine Kit LS2 &amp; LS7 LS1 Corvette</b> GM LS-series 6-rib serpentine kit features narrow bracket and clear powder-coat finish. Kit.		MPP20065	
<b>MGP CALIPER COVER</b>			
<b>5.0 Logo Caliper Covers</b> 5.0 logo aluminum red powder-coated brake caliper covers, fits 2011-14 Ford Mustang. Set of 4.		MGP10198SM50RD	
<b>MICKEY THOMPSON</b>			
<b>Baja Boss A/T Tire LT275/55R20 120/117Q</b> Baja Boss A/T LT272/55R-20 radial tires feature a 3085 lb. max load and black sidewalls. Each.		MIC247456	
<b>Baja Boss A/T Tire 33x13.50R20LT 120Q</b> Baja Boss A/T 33.0 x 13.50R-20LT radial tires feature a 3085 lb. max load and black sidewalls. Each.		MIC247457	
<b>Baja Boss A/T Tire 33x12.50R18LT 118Q</b> Baja Boss A/T 33.0 x 12.50R-18LT radial tires feature a 2910 lb. max load and black sidewalls. Each.		MIC247459	
<b>Baja Boss A/T Tire LT285/55R20 122/119Q</b> Baja Boss A/T LT285/55R-20 radial tires feature a 3305 lb. max load and black sidewalls. Each.		MIC247460	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>MICKEY THOMPSON</b>			
<b>Baja Boss A/T Tire LT295/70R17 121/118Q</b> Baja Boss A/T LT295/70R-17 radial tires feature a 3195 lb. max load and black sidewalls. Each.		MIC247472	
<b>Baja Boss A/T Tire LT305/55R20 125/122Q</b> Baja Boss A/T LT305 / 55R-20 radial tires feature a 3085 lb. max load and black sidewalls. Each.		MIC247473	
<b>Baja Boss A/T Tire LT295/60R20 126/123Q</b> Baja Boss A/T LT295 / 60R-20 radial tires feature a 3750 lb. max load and black sidewalls. Each.		MIC247474	
<b>Baja Boss A/T Tire 35X12.50R18LT 118Q</b> Baja Boss A/T 35.0 x 12.50R-18LT radial tires feature a 2910 lb. max load and black sidewalls. Each.		MIC247483	
<b>Baja Boss A/T Tire 35x15.50R20LT 127Q</b> Baja Boss A/T 35.0 x 15.50R-20LT radial tires feature a 3860 lb. max load and black sidewalls. Each.		MIC247484	
<b>Baja Boss A/T Tire 35x12.50R22LT 121Q</b> Baja Boss A/T 35.0 x 12.50R-22LT radial tires feature a 3195 lb. max load and black sidewalls. Each.		MIC247487	
<b>Baja Boss A/T Tire LT325/50R22 127Q</b> Baja Boss A/T LT325 / 50R-22 radial tires feature a 3860 lb. max load and black sidewalls. Each.		MIC247488	
<b>Baja Boss A/T Tire LT305/70R18 126/123Q</b> Baja Boss A/T LT305 / 70R-18 radial tires feature a 3750 lb. max load and black sidewalls. Each.		MIC247489	
<b>33x12.50R17LT 114Q Baja Boss Tire</b> Baja Boss A/T 33.0 x 12.50R-17LT radial tires feature a 2600 lb. max load and black sidewalls. Each.		MIC247880	
<b>LT285/65R18 125/122 Baja Boss Tire</b> Baja Boss A/T 285/65R-18 radial tires feature a 3640 lb. max load and black sidewalls. Each.		MIC247883	
<b>MILODON</b>			
<b>Oil Pump Pick-Up</b> Press/bolt-on road race oil pump pickup for Pontiac V8 with 7-3/4" deep pan. Each.		MIL18525	
<b>MOROSO</b>			
<b>Intercooler Tank</b> 3-1/2 qt aluminum intercooler tank with natural finish for 2010-13 Roush Ford Mustang. Kit.		MOR63502	
<b>Vacuum Pump Bracket</b> Billet aluminum vacuum pump bracket for Moroso small block ford original style pump, black anodized finish. Kit.		MOR63911	
<b>Blue Max Ignition Wire Set</b> Blue Max 8mm spark plug wire set with spiral core, 135° plug boots, and HEI style terminals. Small block Ford, kit.		MOR72426	
<b>MOTIVE GEAR</b>			
<b>28-Spline Spool</b> Full size 28-spline lightweight steel spool for Ford 9". Each.		MOTFS9-28LW	
<b>MSD IGNITION</b>			
<b>GM LS1/LS6 Coil Packs</b> LS1/LS6 series Pro Power red coil packs offer increased spark energy with multi-spark capabilities. Generate 40,000V with .730 ohms of resistance. Set of 8.		MSD82858	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>MSD IGNITION</b>			
<b>Ford Y-Block Ready-to-Run Distributor</b> Ford Y-block ready-to-run distributor with magnetic pickup, vacuum advance, and HEI-style terminal. Red. Each.		MSD8383	
<b>NITROUS OXIDE SYSTEMS</b>			
<b>Time Delay Relay</b> Nitrous delay timer counts in 0.1 second intervals and can measure 0.1 to 102.3 second delays. Each.		NOS15838A	
<b>OBERG FILTERS</b>			
<b>Billet Oil Filter</b> 800-series oil filter features a 60-micron stainless element, -16AN female O-ring inlet/outlet, and 8" black anodized aluminum body. Each.		OBE8060-BLK	
<b>PAC RACING SPRINGS</b>			
<b>HR Valve Spring Kits - Dual GM LS</b> Hot rod series dual valve spring kit features 370 lb/in spring rate, 1.010" coil bind, and 1.290" OD. Kit includes chromoly retainer, locks, viton seal, and steel seats. Fits GM LS engines. Kit.		PACPAC-KS15	
<b>PATRIOT EXHAUST</b>			
<b>304 Stainless Bent 90° Elbow</b> Stainless 16-gauge 90° elbow features 3" diameter tube, 6" radius, and 6" legs. Each.		PEPH6955	
<b>PEM</b>			
<b>Quick Change Assembly Max</b> Rear axle assembly features 2" offset pinion, 10" ring gear, 4.86 ratio, black thermal coating, and measures 60" wide. Kit includes 5 x 5 hubs and rotors. Kit.		PEMQCKST-GN5-486MAX-20FF	
<b>PENSKE RACING SHOCKS</b>			
<b>7150 Steel Shock</b> 7150 series twintube shock features 3-10 valving and 12.75" compressed/19.50" extended lengths. Nickle-plated steel body measures 1.94" O.D. Each.		PENPS-7157-3/10	
<b>PERTRONIX IGNITION</b>			
<b>SBF Billet Distributor w/Red Male Cap</b> Flamethrower plug'n'play small block Ford billet distributor with magnetic pickup, mechanical advance, and HEI-style terminal. Red. Each.		PRTD130811	
<b>PFC BRAKES</b>			
<b>Brake Pads Front E30</b> Front compound 11 brake pads for BMW compact car. Set of 4.		PFR0278.11.17.44	
<b>Brake Pads Rear E30</b> Rear compound 11 brake pads for BMW compact car. Set of 4.		PFR0279.11.16.44	
<b>PIAA</b>			
<b>S-RF Series 40" Light Bar</b> S-RF series 120W single row light bar measures 40" long and features a single row of white LED lights, black powder-coated aluminum housing, and combo beam capability. Each.		PIADKSR409	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**















Description	Photo	Part No.	Price
<b>PROTHANE</b>			
<b>Suspension Bushings Kit</b> Black polyurethane suspension bushing kit for 2004-06 Ford F150. Kit.		PTN6-2038BL	
<b>POWERTRAX</b>			
<b>GRIP LS Differential</b> Grip LS steel differential with 30-spline connection for 3.73 and down gear ratio. Fits GM 12-bolt and measures 8.875". Each.		PTXLS231230	
<b>PYROTECT</b>			
<b>Ultrasport Duckbill Helmet—Flat Black, X-Large</b> Ultrasport Duckbill full-face helmet is Snell SA2020 approved and head/neck support ready. X-large, flat black. Each.		PYRHB612520	
<b>Ultrasport Duckbill Helmet—Flat Black, XXX-Large</b> Ultrasport Duckbill full-face helmet is Snell SA2020 approved and head/neck support ready. XXX-large, flat black. Each.		PYRHB612720	
<b>Duckbill Helmet—White, XX-Large</b> Ultrasport Duckbill full-face helmet is Snell SA2020 and head/neck support ready. XX-large, white. Each.		PYRHW800620	
<b>QUICK FUEL TECHNOLOGY</b>			
<b>Carburetor—850CFM Q-Series</b> Q-Series 4-barrel dual-inlet carburetor flows 850 CFM and features a square bore and mechanical secondary. Polish/blue anodized. Each.		QFTQ-850-A	
<b>QUICK TIME</b>			
<b>Bellhousing Kit—Chevy V8 to Tremec TKO 500/600</b> Bellhousing adapts Chevy V8 to Ford TKO 500-600/TR3550/T5. SFI 6.1-rated housing includes hardware and has a black paint finish. Kit.		QTMRM-6064	
<b>RACEQUIP</b>			
<b>Vesta20 Helmet—Gloss Black, Small</b> Vesta20 full-face small gloss black helmet is Snell SA2020 approved and head/neck support ready. Small, gloss black. Each.		RQP286002	
<b>RAM CLUTCH</b>			
<b>Concept 10.5" Clutch Kit Ford Mustang</b> Concept 10.5" twin-disc clutch kit is 10-1/2" diameter, with a 1" x 23-spline sprung hub. For 2011-17 Ford Mustang w/ Ford Modular. Kit.		RAM50-2230	
<b>RANCHO</b>			
<b>Differential Glide Plate Dana 44 Front</b> Red powder-coated steel differential glide plate fits 2018-19 Jeep Wrangler JL with Dana 44. Front. Each.		RAN62116	
<b>Rear Shock &amp; Control Arm Skid Plate</b> Steel rear control arm/ shock skid plates are red powder-coated and fit 2018-19 Jeep Wrangler JL. Pair.		RAN62125	
<b>2" Suspension Lift Kit</b> Complete suspension 2" lift kit for 2007-18 Jeep Wrangler JK includes hardware, shocks, and springs. Kit.		RAN66118BR9	
<b>REESE</b>			
<b>Removable Trailer Jack Foot</b> Removable trailer jack foot supports up to 5000 lbs., includes locking pin, and fits 2" trailer jack tube. Kit.		REE500244	
<b>RICHMOND</b>			
<b>GM 10-Bolt Ring and Pinion</b> 27-spline ring and pinion set features 3.73 ratio and fits GM 10-bolt. Kit.		RIC49-0007-1	



**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>RJS SAFETY</b>			
<b>Elite Series Driving Pants—Black, XX-Large</b> Elite Series driving pants are SFI 3.2A/5 rated. Pants are made from double-layer fire-retardant cotton. Size XX-large. Each.		RJS200440107	
<b>RUGGED RADIOS</b>			
<b>Offroad Helmet Kit Plug w/Speakers</b> 4-conductor offroad helmet mic and speaker kit features boom mic, dura-link plug, and 3.5 mm input jack. Kit.		RGRHK-OFSP-AA	
<b>Harness Offroad Single Seat w/o Radio</b> Single seat offroad radio harness includes auxiliary cord, helmet boom mic, helmet speakers, and push-to-talk switch. Kit.		RGRSS-KIT	
<b>SPARCO</b>			
<b>White Underwear Top Medium/Large</b> FIA approved long sleeve white underwear top is made from a fire-resistant Nomex material and features a high collar. Medium/large. Each.		SC0001764MB0ML	
<b>EVO QRT Black Seat</b> EVO QRT non-reclining black seat is FIA approved and features side bolsters, harness openings, fiberglass composite body, and fire-retardant non-slip fabric exterior. Each.		SC0008007RNR	
<b>SPORTSMAN RACING PRODUCTS</b>			
<b>SBM 340 F/T Piston Set 4.070 Bore -5cc</b> Small block 340 forged pistons 4.070" bore, 1/16" x 1/16" x 3/16" ring grooves, and minus 5.00cc. Set of 8.		SRP142068	
<b>SBC 400 Flat Top Piston Set 4.125 Bore -5cc</b> Small block 400 flat top forged pistons 4.125" bore, 1/16" x 1/16" x 3/16" ring grooves, and minus 5.00cc. Set of 8.		SRP231308	
<b>STAINLESS WORKS</b>			
<b>Redline Cat-Back Exhaust System</b> Redline cat-back exhaust system features 3" dia. stainless tubes and uses stock under bumper tips. Fits 2019-21 GM 1500 trucks. Kit.		SWOCT19CBUBR	
<b>STRANGE</b>			
<b>11" Street Rear Brake Kit w/ Parking Brake</b> Street rear brake kit includes Wilwood 4-piston calipers, 11" vented steel rotors, and parking brake. Kit.		STGB2709WC	
<b>Brake Pad for Wilwood or JFZ Caliper</b> Semi-metallic material brake pads for JFZ/Wilwood 4-piston calipers. Each.		STGB3326	
<b>TRIPLE X RACE COMPONENTS</b>			
<b>Mini Sprint Drive Chain</b> Gold 130-link steel drive chain. Each.		TXR600-DL-0001	
<b>Wheel Cover Retainer Kit 1-3/8 TI Bolt 3-Pack</b> Mud cover installation kit includes screw-in inserts, rivets, 1-3/8" springs, and titanium bolts. Kit.		TXRSC-WH-7841	
<b>VIBRANT PERFORMANCE</b>			
<b>Intercooler Core</b> Horizontal flow aluminum intercooler core measures 24" x 3-1/2" x 8". Each.		VIB12839	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
**LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES**

Description	Photo	Part No.	Price
<b>WEIAND</b>			
<b>BBC Oval Port Intake Manifold 4500 - Track Warrior</b> Track Warrior intake manifold features single plane, dominator flange, oval port, and fits big block Chevy. Each.		WEI7621	
<b>WOOLF AIRCRAFT PRODUCTS</b>			
<b>304 Stainless 90° Elbow—3.500" Dia.</b> 90° 16-gauge exhaust bend features 3-1/2" tube and 4-1/2" radius. Each.		WAP350-065-450-090-304	
<b>WELD RACING</b>			
<b>Magnum 13" x 10" Beadlock Aluminum Wheel w/ 2" Backspace</b> Magnum midget/mini sprint 13" x 10" aluminum wheel with beadlock features 31-spline, 2" backspace, and cover. Polished lip/black anodized center. Each.		WEL734B-31052	
<b>Magnum 13" x 10" Beadlock Aluminum Wheel w/ 3" Backspace</b> Magnum midget/mini sprint 13" x 10" aluminum wheel with beadlock features 31-spline, 3" backspace, and cover. Polished lip/black anodized center. Each.		WEL734B-31053	
<b>Pro Star 15" x 10" Wheel w/ 6.5" Backspace</b> Pro Star 15" x 10" aluminum wheel features a 5 x 4.75" bolt pattern and a 6.5" backspace. Polished finish. Each.		WEL96-510282	
<b>10" x 6" Wheel Half Outer w/ Beadlock and Cover</b> Outer polished aluminum wheel shell includes cover and measures 10" x 6". Each.		WELP851-1065	
<b>WESTIN</b>			
<b>Pillar-Mounted LED Light Bracket for Jeep Wrangler JL</b> Pillar-mount dual row 50" LED light bar bracket features black powder-coated finish. Fits 2018-19 Jeep Wrangler JL. Kit.		WES62-41085	
<b>WISECO</b>			
<b>4340 Forged I-Beam Rods 5.933" Ford 4.6L/5.0 Mod</b> Boostline connecting rods feature a three-pocket beam design, 7/16" cap screws, and measure 5.933". Fits Ford modular/ Coyote. Set of 8.		WISFD5933-866	
<b>WOODWARD MACHINE</b>			
<b>Power Cylinder Assembly</b> Double-acting power cylinder assembly with a hard-chromed piston rod bolts rigidly to all Woodward rack housings with four symmetrical socket head cap screws. Complete with boot, bolts, and steel hose fittings. Each.		W00GE150B	
<b>XS POWER BATTERY</b>			
<b>Lithium Titan8 XV Series 12-Volt Battery w/ 1000 CA</b> Titan8 XV 12V lithium battery features 1000 cranking amps, threaded terminals, and measures 7.79"L x 6.69"H x 6.54"W. Each.		XSPXV1200	
<b>YUKON GEAR AND AXLE</b>			
<b>Grizzly Locker Steel Differential Carrier</b> Grizzly locker steel differential carrier features 31-spline and fits Ford 9". Each.		YKNYGLF9-31	
<b>Yukon Compact Air Compressor</b> Yukon 12V air compressor includes controls, wiring harness, and 120 psi max. Kit.		YKNYZLCOMPRESSOR-01	
<b>ZAMP</b>			
<b>RZ-62 Helmet—White, Medium</b> RZ-62 full-face helmet is Snell SA2020 approved and head/neck support ready. Medium, white. Each.		ZAMH764001M	
<b>ZYCOAT</b>			
<b>Bronze Satin Exhaust and Header Paint, 16-oz. Can</b> Exhaust and header high-temperature ceramic urethane paint. 16-oz. can, bronze satin finish. Each.		ZYC10016	

# NEW PRODUCTS



**PERFORMANCE**  
THE WINNING ELEMENT IN RACING.

## Oil Pressure Fitting

TIP5550

Ti22 straight oil pressure fitting features -4AN male to 1/8" NPT male ends, black anodized finish, and measures 2-1/4" long.



## Extended Port Fitting

TIP5552

Ti22 straight extended port fitting features -6AN male to -6AN male ends, black anodized finish, and measures 3" long.



## 1" O.D. by 5/8" Aluminum Radius Rods

Aluminum rods are made from 6061 aluminum, featuring a 5/8"-18 thread black, 1" O.D., and black anodized finish. Sold each.



Part No.	Description	Price
MPD41180	18"	
MPD41185	18-1/2"	
MPD41190	19"	
MPD41195	19-1/2"	
MPD41200	20"	
MPD41205	20-1/2"	
MPD41210	21"	
MPD41215	21-1/2"	
MPD41220	22"	
MPD41225	22-1/2"	
MPD41230	23"	
MPD41235	23-1/2"	
MPD41240	24"	
MPD41245	24-1/2"	
MPD41250	25"	
MPD41290	29"	
MPD41295	29-1/2"	
MPD41300	30"	
MPD41305	30-1/2"	
MPD41310	31"	
MPD41390	39"	
MPD41410	41"	

## Rear Axle Nut

Aluminum black anodized rear axle nuts for sprint cars.



Part No.	Description	Price
MPD85001	Left Hand	
MPD85002	Right Hand	



## Fuel Pumps

Hex-driven in-line fuel pumps provide superior fuel dispersion and feature -8AN female inlet/outlet with a black painted finish.



Part No.	Description	Price
ENDSG1-480	4 gph	
ENDSG1-750	7 gph	



## HD Crank-Driven Water Pumps

High-flow crank-driven water pump for high performance sprint cars features a 1.750" inlet, (2) -16AN ORB outlets, billet aluminum construction, cast aluminum housing, and a swept 6-vane impeller design for maximum flow.



Part No.	Description	Price
KSEKSD1057	Natural Finish	
KSEKSD1057B	Black Anodized Finish	



## Dirt Late Model Coil-Over Springs

Engineered exclusively for dirt late models, coil-over springs are designed to provide a lightweight feel, while delivering precise spring rates.

Part No.	Description	Price
<b>8" Tall</b>		
BILE4-MCS-0057A00	550 lbs.	
<b>10" Tall</b>		
BILE4-MCS-0038A00	Right Rear-2, Progressive Rate	
BILE4-MCS-0039A00	Right Rear-3, Progressive Rate	
BILE4-MCS-0050A00	225 lbs.	
BILE4-MCS-0051A00	250 lbs.	
BILE4-MCS-0058A00	100 lbs.	
BILE4-MCS-0059A00	150 lbs.	
BILE4-MCS-0060A00	350 lbs.	
BILE4-MCS-0061A00	525 lbs.	
<b>Left Front</b>		
BILE4-MCS-0055A00	Progressive Rate	
<b>12" Tall</b>		
BILE4-MCS-0062A00	125 lbs.	
<b>14" Tall</b>		
BILE4-MCS-0063A00	125 lbs.	





# NEW PRODUCTS



## Vapor Driving Suit

### Your Choice -

One-piece, triple-layer suit features Aramid Modacrylic construction for maximum comfort and reduced weight, while maintaining superior protection. Anatomically engineered with pre-curved arms and legs to provide optimal comfort while driving. Bootcut-design suit meets SFI 3.2A/5 specifications and is offered in mid gray/black or black/white.

Size	Part No.
<b>Black/White</b>	
X-Small	ALP3350524-12-46
Small	ALP3350524-12-48
Small/Medium	ALP3350524-12-50
Medium	ALP3350524-12-52
Medium/Large	ALP3350524-12-54
Large	ALP3350524-12-56
Large/X-Large	ALP3350524-12-58
X-Large	ALP3350524-12-60
X-Large/XX-Large	ALP3350524-12-62
XX-Large	ALP3350524-12-64
<b>Mid Gray/Black</b>	
Small/Medium	ALP3350524-971-50
Medium	ALP3350524-971-52
Medium/Large	ALP3350524-971-54
Large	ALP3350524-971-56
Large/X-Large	ALP3350524-971-58
X-Large	ALP3350524-971-60
X-Large/XX-Large	ALP3350524-971-62



## Tech-1 Race V4 Driving Gloves

### Your Choice -

Including features common to most higher priced gloves, Tech-1 Race V4 gloves include increased levels of protection. Pre-curved fingers and external palm seams are incorporated to reduce fatigue. Gloves, which meet FIA 8856-2018 and SFI 3.3 specifications, are offered in black/gray, black/red, or black/fluorescent orange.

Size	Part No.
<b>Black/Gray</b>	
Medium	ALP3552024-1169-M
Large	ALP3552024-1169-L
X-Large	ALP3552024-1169-XL
XX-Large	ALP3552024-1169-XXL
<b>Black/Red</b>	
Medium	ALP3552024-13-M
Large	ALP3552024-13-L
X-Large	ALP3552024-13-XL
XX-Large	ALP3552024-13-XXL
<b>Black/Fluorescent Orange</b>	
Medium	ALP3552024-156-M
Large	ALP3552024-156-L
X-Large	ALP3552024-156-XL
XX-Large	ALP3552024-156-XXL



## Tech-1 Start V4 Driving Gloves

### Your Choice -

Gloves feature pre-curved and silicone-imprinted fingers and palms for unsurpassed comfort and steering wheel feel. Close fitting, extended cuffs with an elasticated wrist allow easy entry and a secure fit. Gloves, which meet FIA 8856-2018 specifications, are offered in black, blue, black/gray, black/red, or black/fluorescent orange.

Size	Part No.
<b>Black</b>	
Medium	ALP3551624-10-M
Large	ALP3551624-10-L
X-Large	ALP3551624-10-XL
XX-Large	ALP3551624-10-XXL
<b>Blue</b>	
Medium	ALP3551624-790-M
Large	ALP3551624-790-L
X-Large	ALP3551624-790-XL
XX-Large	ALP3551624-790-XXL



## Race V3 Long Sleeve Top

### Your Choice -

Size	Part No.
<b>Black</b>	
Large	ALP4757024-10-L
Medium	ALP4757024-10-M
X-Large	ALP4757024-10-XL
XX-Large	ALP4757024-10-XXL
<b>White</b>	
Medium	ALP4757024-20-M
Large	ALP4757024-20-L
X-Large	ALP4757024-20-XL
XX-Large	ALP4757024-20-XXL



## Race V3 Bottom

### Your Choice -

Size	Part No.
<b>Black</b>	
Medium	ALP4757124-10-M
Large	ALP4757124-10-L
X-Large	ALP4757124-10-XL
XX-Large	ALP4757124-10-XXL
<b>White</b>	
Medium	ALP4757124-20-M
Large	ALP4757124-20-L
X-Large	ALP4757124-20-XL
XX-Large	ALP4757124-20-XXL



## Race V3 Balaclava

### Your Choice -

SFI.3/FIA approved head sock features a single eyepoint and Lenzing flame-resistant fabric. One size fits all.

Part No.	Color
ALP4757224-10-OS	Black
ALP4757224-20-OS	White





# NEW PRODUCTS



## Heat Exchanger for 2003-04 Ford Mustang Cobra DUNIFD.MUS.0304.SP

Designed to handle up to 800 horsepower, five-row, single-pass heat exchanger helps reduce intake air temperatures for a cooler, denser air charge. Unit measures 21-5/8"W x 6-1/2"H x 3-1/2"D and installs using the OEM brackets for an eased installation. **NOTE: A 5" longer coolant hose is required for installation.**



## Double-Pass Oil Cooler DUNOGEN.DB-30616.DP

Heavy-duty, double-pass cooler features a durable 58mm core to deliver maximum cooling efficiency. Cooler, which is 15"L x 9-1/4"H x 3"D, includes upper and lower mounting flanges for eased installation. Unit includes an oil capacity of 1-1/2 quarts, dry weight of 9.75 lbs., and includes (2) -12AN and (2) 1/2" NPT ports.



## Radiator for 1997-04 Ford Mustang/Manual Trans DUNRFD.MUS.9704.46

Direct, bolt-in replacement all-aluminum radiator is a 3-row upgrade that provides 30% increased cooling. Well suited to stock or modified applications, completely TIG-welded radiator is 29-1/4"L x 16"H x 2-1/2"D. Fits all 1997-04 Mustang including GT, Mach 1, and Cobra with manual transmission.



## Single-Pass Oil Cooler DUNOGEN.DB-30618

Single-pass cooler is suited to a wide variety of applications due to its long, slim design. Featuring a 58cc core, unit includes upper and lower mounting flanges to ease installation. Cooler, which is 21"L x 6"H x 3"D, includes an oil capacity of 1.2 quarts, dry weight of 12 lbs., -12AN inlet and outlet ports, and a 1/2" NPT port for a temperature sensor.



## Double Pass Racing Radiators

Lightweight aluminum radiators measure 28-3/4"W x 18-1/8"H x 2-1/4"D, and are engineered to provide maximum cooling efficiency through a double-pass design. Radiators are also offered complete with integrated oil coolers and electric fans. Radiators listed include right (passenger's) side inlet and outlet. Choose from models with or without a filler neck.



Part No.	Description	Price
<b>Radiators Only</b>		
DUNRGM.SLM.CLOSED	Closed System (No Filler Neck)	
DUNRGM.SLM.OPEN	Open System (Filler Neck)	
<b>Radiators with Integrated Oil Coolers and Fans</b>		
DUNMGM.SLM.CLOSED	Closed System (No Filler Neck)	
DUNMGM.SLM.OPEN	Open System (Filler Neck)	

## Dirt Late Model Oil Cooler DUNORA.DIRT.LATE

Engineered to meet the needs of Dirt Late Models, cooler is custom fabricated and fully TIG-welded. Cooler is 17-1/2"L x 6"H x 32mm D, and features upper and lower mounting flanges for eased installation. Unit includes a .75-qt. oil capacity, dry weight of 3.6 lbs., -12AN inlet and outlet ports, and a 1/2" NPT port for a temperature sensor.



## Legends Oil Cooling Package DUNORA.LEG

The official cooler of INEX/US Legends, package is designed to be compact yet highly efficient. Ready to install, package includes oil cooler, Vortex top end cooler, mounting brackets, scoop, and fan mounts. Unit, which is 17-1/2"L x 6"H x 32mm D, includes a .75-qt. oil capacity, dry weight of 3.6 lbs., -8AN oil cooler ports, and -4AN top end cooler ports. **NOTE: Fans are sold separately but mounting flanges are installed.**



## Therm-Hx Oil Coolers

Compact, yet highly efficient plate-style coolers help keep engine oil temperatures stable through use of extruded oval tubes with patented oil Turbulators. Each cooler has -12AN inlet and outlet ports, and a 1/2" NPT for a temperature sensor. Choose from single- or double-pass units.



Part No.	Description	Price
DUNOGEN.DB-30416	Single Pass Oil Cooler, 14-3/4"W x 6-1/4"H x 2-3/4"D	
DUNOGEN.DB-30417	Double Pass Oil Cooler, 14-3/4"W x 9-1/4"H x 3"D	

## Super Late Model Oil Cooler with Integrated Fan DUNORA.SLM

Designed specifically for competitive Super Late Models, oil cooler features a built-in, high-capacity 11" dia. electric fan to deliver exceptional cooling. Unit is 17-1/2"L x 12"H x 1-1/4"D, includes a 1-qt. oil capacity, dry weight of 10.6 lbs., and -12AN inlet and outlet ports.



## Double-Pass Oil/Trans Cooler with Integrated Fan DUNOGEN.DB-30613.DP.F

Designed to endure the most grueling racing conditions, large capacity cooler includes an integrated electric fan for maximum cooling. Double-pass cooler is 15-1/2"L x 12"H x 7"D and includes top and bottom mounting flanges for eased installation. Unit has a two-quart oil capacity, dry weight of 17 lbs., includes 1/2" NPT inlet and outlet ports, and a 1/2" NPT port for a temperature sensor.



## Open Wheel Modified Double-Pass Radiator DUNRRA.OWM

Double pass, three-row aluminum radiator is engineered for use in Open Wheel Modifieds. Radiator is 25"W x 17-1/2"H x 2"D and includes a right (passenger's) side -16AN inlet and 1-3/4" lower outlet.



# NEW PRODUCTS



**NOW STOCKING!**

## Hustler Replacement Fan Blades

Sold each.

Part No.	Description	Price
JRPWP-9104-15-FB	15" Fan Blade	
JRPWP-9104-17-FB	17" Fan Blade	



**NOW OFFERED WITH 1" BACK SPACING!**

## Series 53 IMCA-Legal 15" x 8" Beadlock ARW53-185010B

Steel, black powder coated 15" x 8" wheel includes a 5 x 5" bolt pattern, and 1" of back spacing. Sold complete with black beadlock ring.



## Panel Mount Drink Holder

JOE12605-B

Designed to help keep the driver hydrated, drink holder includes a welded mount that may be secured to virtually any flat panel. Lightweight aluminum, black anodized holder is complete with 20-oz. drink bottle.



## Micro Sprint Brake Reservoir Kit

JOE26003

Kit allows relocating the brake fluid reservoir higher in the car, thereby easing brake bleeding operations. Includes 4 oz. capacity reservoir with diaphragm and cap, 5/16" hose barb, and 5/16" hose.



## Billet Tire Roller

JOE32200-V2

Premium quality, billet tire roller secures tire while checking stagger, cleaning, or siping. May be adjusted to match tire width or broke down for ease storage.



## -12AN Inline Temperature Tee

JOE42141

Red anodized, billet aluminum -12AN tee may be installed in-line to allow provisions for a oil or water temperature gauge. Tee includes a 1/2" NPT port for a gauge probe.



## Digital 0-150 PSI Air Pressure Gauges

The choice of professionals, fully redesigned digital gauges are now offered in 0-150 PSI versions. Featuring accuracy within 0.1%, gauges include large, backlit display characters along with a keypad for eased usage. Each gauge is powered by a 9-volt battery and fitted with a 22" hose and angled chuck. Offered in standard or memory/Bluetooth models. Gauge with memory functions allows storing LF, RF, LR, and RR tire pressures, while also including Bluetooth capability.



Part No.	Description	Price
INT360047	Gauge with Memory & Bluetooth	
INT360049	Air Pressure Gauge	



**NOW STOCKING!**

## Solid 31-Spline/28.5" Long Short Track Axle SOTAGU09602850

Manufactured from ultra-high-strength alloy steel with CNC-hobbed splines, axle shaft is heat treated, shot-peened, and REM-finished for durability.

Carrier Spline	Drive Flange Spline	Length	O.D.
31	24	28.5"	.960"



## Steel Gun-Drilled Driveshaft Package for Northeast Modifieds

SOTDKM203

Engineered for Northeast Modifieds utilizing a TEO, Bicknell or Troyer chassis, track-tested driveshaft package allows up to 22° of misalignment, while weighing just 14.1 lbs. Includes through-hardened, Hy-Tuf steel gun-drilled 32-spline driveshaft with (2) greasable 1310 U-joints, (1) billet 4140 steel transmission yoke, (1) 4140 billet steel Quick Change pinion yoke, (2) 4340 billet steel driveshaft slip yokes, and (2) U-bolt strap kits.



## Gun-Drilled Torsion Bars for Micro Sprints

Aircraft-quality, chrome vanadium steel torsion bars offer exceptional yield strength and fatigue resistance, while providing repeatable ride heights and the ability to hold rates for an extended period. CNC-hobbed splines provide a precise fit. Gun-drilled for weight reduction.



Part No.	Dia.	Length	Price
<b>7/8"-48-Spline Torsion Bar</b>			
SOTSEE06752600	.675"	26"	
SOTSEE07502600	.750"	26"	



# NEW PRODUCTS



## Late Model Flywheel

QTR509135B

HTD-style 91T flywheel, engineered for use with a Bert or Brinn transmission, fits late small block Chevy with a one-piece rear main seal.



## Adjustable Rear Lower Control Arm Kit for 1971-96 GM B-Body

QA15201

Direct bolt-on, adjustable lower control arms provide added tire/wheel clearance to 1971-96 GM B-body (Impala/Delta 88/Bonneville/LeSabre). Kit allows installing up to 28" wheels on popular, 1971-76 "Donk" or 1977-90 "Box" Chevys.



## Front Coil-Over and Crossmember for 1973-87 Chevy C10

QA152623-S750

Direct, bolt-on kit dramatically improves the C10's handling and performance, while allowing ride height adjustments with up to 8" drop. Included power rack and pinion unit delivers improved steering response and feel. Sold complete with cross-member, tubular upper and lower control arms, single adjustable coil-over shock absorbers with 750 lbs. spring rate, power rack and pinion unit, and required hardware. **NOTES: Modular engine mounts, available for most popular engines, must be purchased separately. An optional front sway bar (QA152883), to further improve handling, is also available.**



## Front Crossmember Retrofit Kit for 1963-72 Chevy C10

QA152624

Ideal for the enthusiast that already has QA1's coil-over conversion kit, bolt-in kit adds the benefits of power rack and pinion steering and 2" of additional available drop, while reducing curb weight by 70 lbs. Includes direct, bolt-in crossmember, power rack and pinion unit, and required hardware. **NOTES: Modular engine mounts, available for most popular engines, must be purchased separately. An optional front sway bar (QA152883), to further improve handling, is also available.**



## Front Sway Bar Kit for 1967-76 Mopar A-Body

QA152833

Engineered exclusively for use on 1967-76 Mopar A-bodies that are fit with QA1's front coil-over suspension, front sway bar further improves handling and cornering by reducing body roll. Sold complete with greasable polyurethane bushings and required hardware.



## SB Chevy IMCA/USRA Hobby Stock Legal Exhaust Headers

Constructed using 5/16" thick exhaust flanges and mandrel-bent, 16-gauge mild steel tubing, headers feature 1-5/8" dia. primaries and 3" dia. x 5" long collectors. Headers offer exceptional spark plug access and are sold complete with 2"-2-1/4" reducers. Exhaust elbows and turnouts, purchased separately, are offered to complete exhaust system installation.



Part No.	Description	Price
SCH1485-20	SB Chevy IMCA Hobby Stock Headers	
SCH1485-22	SB Chevy USRA Hobby Stock Headers	
SCH1485-CM2-22	SB Chevy "602" Crate IMCA/USRA Hobby Stock Headers	

## Exhaust Elbows and Turnouts



Part No.	Description	Price
<b>Turnouts</b>		
SCH2025	For SCH1485-20, 2" Dia. x 7-1/2" Long	
SCH2225	For SCH1485-22/SCH1485-CM2-22, 2-1/4" Dia. x 7-1/2" Long	
<b>Elbows</b>		
SCH2042L	For SCH1485-20, 2" Dia. x 11-1/2" Long	
SCH2045R	For SCH1485-20, 2" Dia. x 11-1/2" Long	
SCH2242L	For SCH1485-22/SCH1485-CM2-22, 2-1/4" Dia. x 11-1/2" Long	
SCH2245R	For SCH1485-22/SCH1485-CM2-22, 2-1/4" Dia. x 11-1/2" Long	



## X-Large Body -16AN Ball Valve PTR09-0983

CNC-machined from billet aluminum, X-large ball valve assembly is ideal for use with dynos to hold oil in the dry sump tank while performing oiling system changes. Black anodized valve is compatible with most fluids, and includes a -16AN male on one end and a -16AN B-nut on the opposite end.



## Large Remote Filter Mount PTR09-1395

Constructed from billet 6061-T6 aluminum, black anodized mount includes (2) -12AN inlet ports, (1) -12AN outlet port, (1) 1/8" NPT gauge port, and 1-1/2"-12 post to accept popular, 4-1/2" dia. Fram, Moroso, or Wix oil filters. Sold complete with (2) -12AN male fittings and (1) -12AN port plug.



# NEW PRODUCTS



## Birdcage Bearing Install/Removal Tool WEHWM200-13

Eases the removal or installation of birdcage bearings. Simply tap the handle with a hammer while the tool does the work. Includes handle, punch, and ring.



## Weld-On Rear Metric Caliper Brackets

Rigid, 3/8" thick steel caliper brackets weld to the rear axle, aiding installation of GM Metric disc brakes. Brackets feature a special tab to prevent flexing.



Part No.	Description	Price
WEHWM200-18-W-L	Left Rear Caliper Bracket	
WEHWM200-18-W-R	Right Rear Caliper Bracket	

## Standard 4-Bar Quick Adjust Plate WEHWM200-5-QA

Single-shear, 1/2" thick plate includes a 3/4" hole to accept a quick adjust puck for a 5/8" bolt. Works on the top or bottom.



## Slider Cleaning Kit WEHWM251-25

Designed to ease slider maintenance, kit includes the necessary tools, brushes, and grease, all packed in a custom-cut foam insert that may be stored in a tool box. **NOTE: Slider bushing and piston not included.**



## Steel Quick Adjust Limiter Body Less Clamp WEHWM269S

Specially-engineered, Quick Adjust limit chain adjuster allows changing chain length by simply pulling a pin, moving the chain to the next hole, and inserting the pin. Limiter also includes a Belleville spring stack to provide a cushion at the end of the chain to help keep the tire on the track.



## 5" Swivel Spring Cup/Medium Drop WEHWM285MD

Designed for use with 5" coil springs, 1-1/4" (medium) drop spring cup lowers the spring table on the right front to gain side bite.



## Right Rear Narrow Shock Plate WEHWM300-17-DS-N

Shock plate includes (4) different mounting points and bubble level.



## Traction Tuning 2" Tall Carb Spacer with Angled Body WEHWM302AB

Utilizing the same principle as the traditional Traction Tuning Carb Spacer System but with a 2" tall angled body. Billet aluminum spacer is specially angled 4° left and 4° back to aid performance of Dirt Late Models. **NOTE: This main body uses WM301 series inserts that are 1" tall. Spacer must be run with an insert.**



**NOW STOCKING!**

## Stud Kit for 2" Tall Traction Tuning Carb Spacer System WEHWM302SK

Includes (4) 5/16" studs and (4) 5/16" serrated nuts for the Wehrs WM302 2" tall Traction Tuning Carb Spacer System.



**NOW STOCKING!**

## 2" Tall Bore Reduction Insert/1.200" Dia. WEHWM302-1.200

Billet aluminum, 1.200" bore insert is engineered for use with 2" tall Wehrs Traction Tuning Carb Spacer.



## Replacement Clip for Coil-Over Kit WEHWM308JC

Clip is for use with Bilstein, Integra, QA1, Fox, Penske, and JRI coil-over kits.



## Standard 1-1/2" Accessory Clamp WEHWM43150

Designed to attach directly to 1-1/2" chassis tubing, billet aluminum clamp includes 1/4"-20 tapped holes on both sides.



## Screw Jack with 5/8"-18 Swivel Mount WEHWM465

Swivel mount is easily adjusted to control bump stop engagement and shock extension.



## Jam Nut Wrench WEHWM4910W

Compact, 1-1/8" 12-point wrench eases access to 1" jam nuts.



## Ballast Mold Kit WEHWM504

Do-it-yourself kit allows making 25-lb. clamp-on style lead ballast. Kit includes 1-1/4", 1-1/2", and 1-3/4" rods for various chassis tubing sizes.





# NEW PRODUCTS



## Mud Deflector for Rear End Filler Tank

WEHWM509


Deflector installs on the rear deck tin, keeping dirt away from the rear end filler tank. Installs using (5) 3/16" small head rivets.



## Axle Checker

WEHWM524

Easy-to-use tool allows quickly checking axle straightness. Simply set axle on roller and turn. Roller includes a slot on the bottom to mark a straight line on new axles with a Sharpie to determine future axle twist.



## 3/4" High Misalignment Spacer

WEHWM750750HM500

Designed for use with a 3/4" heim end, spacer is 3/4" long and has a 1/2" I.D. **NOTE: Spacer is measured from end of spacer to the heim, not total overall length.**



## Blackheart LS Swap

### Stainless Steel Exhaust Manifolds

Now offered in corrosion-resistant stainless steel, LS Gen. III/IV swap exhaust manifolds feature a tight tuck design that provides a universal fit to most popular chassis. Manifolds, which include 2-1/2" diameter outlets, offer increased durability and reduced weight when compared to traditional cast iron units. Sold per pair, complete with gaskets, bolts, and flanges. Offered with polished or natural finish.



Part No.	Description	Price
HKR8503-1HKR	Polished Finish	
HKR8503HKR	Natural Finish	



## Offset 15mm Bellhousing Dowel Pins


Now available in 15mm sizing for imports including Honda, Nissan, Mazda, etc., specially-offset dowel pins allow proper bellhousing alignment, preventing hard shifting, abnormal pilot bearing, main shaft wear, and clutch disc hub failure. Sold per pair complete with instructions.



Part No.	Description	Price
QTMRM-160	.007" Offset	
QTMRM-161	.014" Offset	
QTMRM-162	.021" Offset	

# wilwood

DISC BRAKES



## Brake Caliper Rebuild Kits

Required when rebuilding popular Wilwood calipers.

Part No.	Description	Price
WIL130-11509	D52 Caliper Rebuild Kit, Includes (4) 2.00" Square-Cut O-Rings	
WIL130-14796	GM Caliper Rebuild Kit, Includes (4) 2.50" Square-Cut O-Rings	
WIL130-17360	GM Cast Iron Metric Caliper Rebuild Kit, Includes (4) 2.00" O-Rings	



## NOW STOCKING SMALL SIZE!

### Holeshot-22 Drag Racing Gloves

SIM37017SK

Designed to deliver the ultimate blend of comfort and safety, gloves are constructed from Pittards FR leather and combined with a unique, four-way stretch material to provide unsurpassed TPP performance. Meets SFI 3.3/20 specifications. Black only.



## DNA Shoes

Your Choice -

Slim, lightweight, and form-fitting, DNA shoes feature heat releasing perforated panels for added driver comfort. Shoes additionally include Dupont and Nomex lining, plush tongue and ankle padding, and a pedal sensitive rubber sole. Meets SFI 3.3/5 specifications. Black/white only.

Size	Part No.
9-1/2	SIMDA950W
10	SIMDA100W
10-1/2	SIMDA105W
11	SIMDA110W
11-1/2	SIMDA115W
12	SIMDA120W



## NOW STOCKING!

### Hybrid Sport Quick-Release Tether

SIMHSQR

Quick-release tether is for use with standard D-rings.



## NOW STOCKING LARGE SIZE!

### Hybrid S Head

### and Neck Restraint/Large

SIMHYSLRG11PA

Hybrid S allows high-performance driving instructors, auto test engineers, and other drivers with three-point harnesses access to head and neck restraint safety. SFI- and FIA-approved frontal head restraint is designed for use with a Snell or FIA-rated helmet and three-point harness. Includes sliding tether post anchor tether system.



# NEW PRODUCTS



## Rectangular Fuel Cells

Now offered in a rectangular design, fuel cells are constructed using a CNC-laser cut, formed, and spot welded 20-gauge steel container that is fitted with a cross-linked, high strength polyethylene bladder. Cells include a top fuel (-8AN or -10AN) pickup, -6AN vent/roll-over valve, -8AN return or fuel level check point, capped fuel level stick, double sealed billet cap, and safety straps.



Part No.	Pickup	Dimensions	Price
<b>12-Gallon Fuel Cell</b>			
SRCSFC12R-BL	-8AN	19.76"L x 18.31"W x 10.56"H	
<b>17-Gallon Fuel Cell</b>			
SRCSFC17R-BL	-10AN	27.82"L x 20.12"W x 9.75"H	
<b>22-Gallon Fuel Cell</b>			
SRCSFC22R-BL	-10AN	26.82"L x 18.87"W x 13.75"H	

# zamp

## Photochromatic Helmet Shields

Replacement photochromatic shields allow transitioning from day to night racing without having to change shields. Shields slowly transition depending upon existing track lighting. Photochromatic shields that include anti-fog feature are also offered.

**NOTE: Z-20 Series covers RZ-36, RZ-37Y, RZ-42Y, RZ-56, RZ-59, RZ-60, RZ-60V, RZ-62, RZ-64C, RZ-65D, RZ-70E, RL-70E. Z-24 Series covers RZ-88C, RZ-88O.**



Part No.	Description	Price
<b>Z-20 Series</b>		
ZAMHASZ20PHOTO	Dark Smoke	
ZAMHASZ20PHOTOBP	Blue Prism	
ZAMHASZ20PHOTOGP	Gold Prism	
ZAMHASZ20PHOTORP	Red Prism	
ZAMHASZ20PHOTO	FIA, Dark Smoke, Anti-Fog	
<b>Z-24 Series</b>		
ZAMHASZ24PHOTOAF	Dark Smoke, Anti-Fog	

## Low-Profile 90° Adapter

ZAMHTA22ADP90

Black, 90° adapter is for fresh air model helmets.



## Fog-Free Shield Insert

ZAMP0100012

Insert helps prevent helmet shield fogging. Fits all Zamp Racing helmet shields.



# CORSA<sup>®</sup>

## PERFORMANCE

## 2020-23 Corvette 6.2L Carbon Fiber Trunk Panel COR44009

This weave carbon fiber trunk panel mixes a staggering aesthetic and functionality. Direct replacement bolt-on panel installs in minutes and features a polycarbonate window.



## RACE FUELS

## Gen2 Glow-In-The-Dark 5-Gallon Utility Jug

SRJR7500GL

High-density polyethylene 5-gallon utility jug features an ergonomically-improved grip and a deleted vent, eliminating any possibility of leakage. Includes cap.



## Glow-in-the-Dark Utility Jug Cap

SRJR1110GLSQ

Replacement jug cap for Sunoco utility jugs includes a 3/4" NPT port with plug.



## Chrome Moly 16-Bolt Cut-to-Length Axle Tube TIG2066



## Wide 5 Rear Brake Caliper Brackets

Engineered for use with 8-bolt drive flanges and trailing style rear brake calipers, brackets allow mounting the calipers behind the rear axle tube. Offered with .5°, 1.0°, or 1.5° of camber.



Part No.	Description	Price
TIG3012-W5-.5-RM	.5° Camber	
TIG3012-W5-1.0-RM	1.0° Camber	
TIG3012-W5-1.5-RM	1.5° Camber	



# NEW PRODUCTS



**NEW VENDOR**



## Auto Tec Pistons

High-quality yet affordable pistons are manufactured in the USA from forged 4032 high-silicone aluminum alloy, and include diamond turned ring grooves and skirts. Suited to muscle cars, street rods, or mild racing applications, pistons are engineered to withstand mild nitrous kits, small turbos, or superchargers. Pistons listed are machined to accept 1.5mm, 1.5mm, and 3.0mm piston rings. Sold in sets of eight, complete with wrist pins and wire locks. **NOTE: Compression ratios are based on the following combustion chamber volumes: SB Chevy - 64cc, big block Chevy - 118cc, SB Ford - 60cc, GM LS - 64cc, Ford 4.6/5.4 Modular - 52cc.**

Part No.	Bore Size	Stroke	Rod Length	Comp. Height	Com. Ratio	Dome Volume	Price
<b>Small Block Chevy 23° Flat Top</b>							
RTP1000102	4.030"	3.480"	5.700"	1.560"	10.3:1	-5.0cc	
RTP1000108	4.030"	3.480"	6.000"	1.260"	10.3:1	-5.0cc	
RTP1000114	4.030"	3.480"	6.125"	1.125"	10.3:1	-5.0cc	
RTP1000120	4.030"	3.750"	5.700"	1.425"	11.1:1	-5.0cc	
RTP1000182	4.125"	3.480"	6.000"	1.260"	10.7:1	-5.0cc	
RTP1000184	4.155"	3.480"	6.000"	1.260"	10.8:1	-5.0cc	
RTP1000190	4.125"	3.750"	6.000"	1.125"	11.5:1	-5.0cc	
RTP1000192	4.155"	3.750"	6.000"	1.125"	11.6:1	-5.0cc	
<b>Small Block Chevy 23° Inverted Dome</b>							
RTP1000129	4.030"	3.480"	5.700"	1.550"	9.5:1	-12.3cc	
RTP1000133	4.030"	3.480"	6.000"	1.250"	9.5:1	-12.3cc	
RTP1000145	4.030"	3.750"	5.700"	1.425"	9.5:1	-18.9cc	
RTP1000201	4.155"	3.480"	6.000"	1.260"	9.0:1	-23.4cc	
RTP1000209	4.155"	3.750"	6.000"	1.125"	9.5:1	-24.8cc	
<b>Chevy LS 15° Flat Top</b>							
RTP1000588	3.908"	3.622"	6.098"	1.340"	10.2:1	-3.3cc	
RTP1000591	4.010"	3.622"	6.098"	1.340"	10.7:1	-3.3cc	
RTP1000595	3.908"	3.622"	6.125"	1.315"	10.2:1	-3.3cc	
RTP1000597	4.010"	3.622"	6.125"	1.315"	10.7:1	-3.3cc	
RTP1000603	4.005"	4.000"	6.125"	1.115"	11.5:1	-3.3cc	
RTP1000605	4.125"	4.000"	6.125"	1.115"	12.1:1	-3.3cc	
<b>Chevy LS 15° Inverted Dome</b>							
RTP1000615	4.010"	3.622"	6.125"	1.310"	9.0:1	-20.0cc	
RTP1000623	4.125"	4.000"	6.125"	1.110"	11.6:1	-6.0cc	
RTP1000627	4.010"	4.000"	6.125"	1.110"	10.6:1	-10.0cc	
RTP1000629	4.030"	4.000"	6.125"	1.110"	10.7:1	-10.0cc	
RTP1000632	4.125"	4.000"	6.125"	1.110"	10.5:1	-16.0cc	
<b>Big Block Chevy Flat Top</b>							
RTP1000246	4.500"	4.000"	6.135"	1.645"	8.9:1	-3.0cc	
RTP1000252	4.500"	4.000"	6.385"	1.395"	8.9:1	-3.0cc	
RTP1000264	4.500"	4.250"	6.385"	1.270"	9.4:1	-3.0cc	
RTP1000267	4.600"	4.250"	6.385"	1.270"	9.7:1	-3.0cc	
<b>Big Block Chevy Small Dome</b>							
RTP1000289	4.310"	4.000"	6.135"	1.645"	10.5:1	27.5cc	
RTP1000296	4.310"	4.000"	6.385"	1.395"	10.5:1	27.5cc	
RTP1000299	4.500"	4.000"	6.385"	1.395"	10.5:1	19.4cc	
RTP1000308	4.310"	4.250"	6.385"	1.270"	10.5:1	21.2cc	
RTP1000311	4.500"	4.250"	6.385"	1.270"	10.5:1	12.6cc	
RTP1000314	4.600"	4.250"	6.385"	1.270"	10.5:1	7.3cc	
<b>Big Block Chevy Large Dome</b>							
RTP1000325	4.310"	4.000"	6.385"	1.395"	12.5:1	45.0cc	
RTP1000329	4.500"	4.000"	6.385"	1.395"	12.5:1	38.4cc	

continued on next page

# NEW PRODUCTS



**NEW VENDOR**



## Auto Tec Pistons - Cont.

High-quality yet affordable pistons are manufactured in the USA from forged 4032 high-silicone aluminum alloy, and include diamond turned ring grooves and skirts. Suited to muscle cars, street rods, or mild racing applications, pistons are engineered to withstand mild nitrous kits, small turbos, or superchargers. Pistons listed are machined to accept 1.5mm, 1.5mm, and 3.0mm piston rings. Sold in sets of eight, complete with wrist pins and wire locks. **NOTE: Compression ratios are based on the following combustion chamber volumes: SB Chevy - 64cc, big block Chevy - 118cc, SB Ford - 60cc. GM LS - 64cc, Ford 4.6/5.4 Modular - 52cc.**

Part No.	Bore Size	Stroke	Rod Length	Comp. Height	Com. Ratio	Dome Volume	Price
<b>Small Block Ford 302 Flat Top</b>							
RTP1000336	4.030"	3.000"	5.090"	1.600"	9.5:1	-5.0cc	
<b>Small Block Ford Flat Top - 302 Stroker, 8.200" Block Height, .927" Piston Pins</b>							
RTP1000341	4.030"	3.250"	5.400"	1.165"	10.2:1	-5.0cc	
RTP1000344	4.125"	3.250"	5.400"	1.165"	10.6:1	-5.0cc	
RTP1000349	4.030"	3.400"	5.400"	1.090"	10.7:1	-5.0cc	
RTP1000352	4.125"	3.400"	5.400"	1.090"	11.1:1	-5.0cc	
<b>Small Block Ford 302 Inverted Dome</b>							
RTP1000377	4.030"	3.000"	5.090"	1.600"	9.0:1	-9.5cc	
<b>Small Block Ford Inverted Dome - 302 Stroker, 8.200" Block Height, .927" Pins</b>							
RTP1000382	4.030"	3.250"	5.400"	1.165"	9.0:1	-16.0cc	
RTP1000385	4.125"	3.250"	5.400"	1.165"	9.0:1	-19.7cc	
RTP1000390	4.030"	3.400"	5.400"	1.100"	9.0:1	-20.0cc	
RTP1000393	4.125"	3.400"	5.400"	1.100"	9.0:1	-23.8cc	
<b>Small Block Ford 351W 20° Flat Top, Stroker, .927" Pins</b>							
RTP1000463	4.030"	4.000"	6.200"	1.280"	12.5:1	-5.0cc	
RTP1000466	4.030"	4.000"	6.250"	1.235"	12.5:1	-5.0cc	
<b>Small Block Ford 351W 20° Inverted Dome, Stroker, .927" Pins</b>							
RTP1000499	4.030"	4.000"	6.200"	1.280"	9.5:1	-29.1cc	
RTP1000504	4.030"	4.000"	6.250"	1.235"	9.5:1	-29.1cc	
<b>Ford 4.6/5.4L 2V Flat Top/Dish</b>							
RTP1000786	3.572"	3.543"	5.933"	1.220"	11.4:1	-1.6cc	
RTP1000788	3.572"	3.543"	5.933"	1.220"	9.3:1	0.0	
RTP1000789	3.572"	4.165"	6.658"	1.220"	9.2:1	-20.0cc	

## Race Tec Pistons

Top-of-the-line, forged 2618 alloy pistons are designed and manufactured using the latest CAD software and CNC machining. Pistons feature diamond turned ring grooves and skirts, and are engineered to withstand mild nitrous kits, small turbos, and or superchargers. Pistons listed are machined to accept 1.5mm, 1.5mm, and 3.0mm piston rings. Sold in sets of eight, complete with wrist pins and wire locks. **NOTE: Compression ratios are based on the following combustion chamber volumes: big block Chevy - 118cc, Ford 4.6/5.4 Modular - 52cc, Ford 5.0L Coyote - 57cc.**



Part No.	Bore Size	Stroke	Rod Length	Comp. Height	Com. Ratio	Dome Volume	Price
<b>Big Block Chevy Flat Top</b>							
RTP1001266	4.500"	4.250"	6.385"	1.270"	9.3:1	-3.0cc	
RTP1001269	4.600"	4.250"	6.385"	1.270"	9.7:1	-3.0cc	
<b>Big Block Chevy Dome</b>							
RTP1001292	4.310"	4.250"	6.385"	1.270"	13.5:1	47.4cc	
RTP1001293	4.500"	4.250"	6.385"	1.270"	13.5:1	40.1cc	
RTP1001296	4.600"	4.250"	6.385"	1.270"	13.5:1	36.6cc	
<b>Ford 5.0L Coyote 4V Flat Top/Dish</b>							
RTP1001415	3.631"	3.650"	5.933"	1.166"	11.9:1	-3.0cc	
RTP1001416	3.631"	3.650"	5.933"	1.166"	9.9:1	-16.0cc	
<b>Ford 4.6/5.4L 4V Flat Top/Dish</b>							
RTP1001425	3.572"	3.543"	5.933"	1.220"	11.7:1	0.0cc	
RTP1001426	3.572"	3.543"	5.933"	1.220"	9.4:1	-20.0cc	





## TS-1 Externally Wastegated Turbochargers

The TS-1 combines modern materials, design, and manufacturing techniques to meet the stringent demands of high-performance enthusiasts. Each oil-cooled unit utilizes a lightweight stainless steel investment cast turbine housing, ultra-low mass bearing and main shaft assembly and T14 Inconel turbine wheel.



Part No.	Compressor Inducer	Turbine Inlet	Turbine Exducer	Turbine Area/Radius	Price
TBSTS-1-5862T3063E	58mm	T3	62mm	0.63	
TBSTS-1-5862VB082E	58mm	V-Band	62mm	0.82	
TBSTS-1-6262VB082E	62mm	V-Band	62mm	0.82	
TBSTS-1-6262VR082E*	62mm	V-Band	62mm	0.82	
TBSTS-1-6466VB082E	64mm	V-Band	66mm	0.82	
TBSTS-1-6466VR082E*	64mm	V-Band	66mm	0.82	
TBSTS-1-6870T4096E	68mm	T4	70mm	0.96	
TBSTS-1-6870VB096E	68mm	V-Band	70mm	0.96	
TBSTS-1-7675T4096E	76mm	T4	75mm	0.96	
TBSTS-1-7675VB096E	76mm	V-Band	75mm	0.96	
TBSTS-1-7880T4096E	78mm	T4	80mm	0.96	
TBSTS-1-7880VB096E	78mm	V-Band	80mm	0.96	

\* Signifies reverse rotation unit.

## GenV RacePort EM Valve

RacePort EM (Electro-Mechanical) valves are capable of supporting over 2,500 HP. Motorsport quality, high flowing, diaphragm-operated valves incorporate state-of-the-art boost balance technology. Manufactured from aircraft-quality billet aluminum with a black anodized finish.



Part No.	Description	Price
TBSTS-0224-1135	Sleeper, Male Flange Vent to Atmosphere	
TBSTS-0224-1145	Sleeper, Female Flange Vent to Atmosphere	
TBSTS-0224-1405	Sleeper, Male Flange Plumbback	
TBSTS-0224-1425	Sleeper, Female Flange Plumbback	

## Electronic StraightGate External Wastegates

Zero-offset, butterfly style wastegates provide enormous flow and nearly linear control with unsurpassed boost control through the entire operating range. Full electronic control via a servo motor and zero-backdrive gearbox eliminates the need for reference hose, springs, and diaphragms. Choose from external wastegates with 40mm or 76mm valves.



Part No.	Description	Price
TBSTS-0563-1002	ESG40 External Wastegate, 40mm	
TBSTS-0567-1002	ESG76 External Wastegate, 76mm	

## EBG50 Electronic BoostGate50 Charge Air Valve

An electronically controlled, zero offset butterfly style valve designed for charge pipe boost control. Ideal for drag racing applications where turbo specifications have been optimized and the turbine is not a limiting factor in performance. Billet aluminum unit provides incredible resolution, enormous flow, and unsurpassed boost control.



Part No.	Description	Price
TBSTS-0260-3001	Replacement Actuator for TBSTS-0265-1042	
TBSTS-0265-1042	EBG50 Electronic BoostGate50 Charge Air Valve	
TBSTS-0265-3002	Aluminum Weld Flange for BG50 BoostGate	

## Gas Valve Actuator/40mm

TBSTS-0552-1712

Spring and diaphragm style pneumatic actuator operates a mechanical valve, and reference air acts upon the diaphragm and opposing spring to actuate the valve. The V-band mounting system may be adapted to virtually any application where valve diameter and actuation stroke requirements are within specification.



## ProOPR Rising Rate Turbo Oil Pressure Regulator TBSTS-0811-1212

Oil pressure regulator for turbochargers is boost referenced, thereby providing lower oil pressure at lower boost pressures, while increasing oil supply at higher boost levels. Ideal for large turbo systems and high boost levels where additional oil pressure is required. Twin-outlet, returnless design creates a "T" in the oil supply line for simplicity of plumbing, and connection for up to two turbos.





## Gen. III Hemi Single Plane Intake Manifold Kits

Manifolds fit all 2009-up 5.7L, 2005-10 6.1L, and 2011-up 6.4L Gen. III Hemi, feature an isolated runner design, and offer a wide powerband all the way to 7500 RPM, while maintaining a low profile for maximum hood clearance. Offered for EFI or carbureted/Sniper EFI applications; EFI manifold accepts a 4150-style throttle valve, and are complete with billet fuel rails and mounting brackets for OEM or Bosch EV-1 fuel injectors, while carbureted/Sniper EFI model includes a 4150 carb flange and lacks fuel injector bosses for a clean appearance. Choose from natural or black finish.



Part No.	Description	Price
<b>Gen. III Hemi EFI Intake Manifolds</b>		
HLY300-930	Natural Finish	
HLY300-930BK	Black Finish	
<b>Gen. III Hemi Carbureted/Sniper EFI Intake Manifolds</b>		
HLY300-931	Natural Finish	
HLY300-931BK	Black Finish	

## 255 LPH In-Tank Retrofit Fuel Pump Module HLY12-169

Ideal for use with Terminator EFI, Sniper EFI, or MSD Atomic EFI, module is designed to convert an existing fuel tank or cell to an in-tank EFI fuel system. Conversion may be performed without welding or fabrication, and is capable of supporting up to 550 EFI horsepower. Die-cast aluminum module installs into any tank 7"-12" deep.



## Sniper EFI Fuel Pressure Regulators

Universal, bypass-style regulators are engineered for EFI applications that include an adjustable base pressure from 40-130 PSI and boost reference port. Precision machined from 6061-T6 billet aluminum and black anodized for corrosion resistance, regulators are used in systems with a return line. Regulators are offered with -6AN or -8AN inlet and outlet ports. Sold complete with mounting bracket.



Part No.	Description	Price
HLY19-392	-6AN Inlet/Outlet	
HLY19-395	-8AN Inlet/Outlet	

## Fuel Regulator/Damper

Ideal for applications utilizing large fuel injectors and high volume fuel pumps, all-in-one, fuel regulator/damper not only regulates fuel pressure but also provides consistent, stable fuel pressure, smoothing pressure pulsations caused by the injectors opening and closing, thereby preventing fuel delivery issues. Sold complete with mounting bracket, vacuum fitting, and 1' of vacuum hose. Billet aluminum units are offered in standard or extended pressure range versions and feature a black anodized finish.



Part No.	Description	Price
HLY12-1000	-8AN, Standard 40-70 PSI	
HLY12-1001	-8AN, Extended 40-100 PSI	

## Fuel Pulse Dampers

Ideal for applications with large fuel injectors, high-volume fuel pumps, and a traditional fuel pressure regulator, fuel pulse dampers help smooth out pressure pulsations caused by the injectors opening and closing, thereby preventing fuel delivery issues. Black anodized billet aluminum units are offered in in-line or direct mount versions. Direct mount are ideally installed on the fuel rails. Each includes -6AN or -8AN inlet and outlet, 1/8" NPT gauge port, vacuum fitting, and 1' of vacuum hose. Offered in standard or extended pressure range versions.



Part No.	Description	Price
<b>Direct Mount Fuel Pulse Dampers</b>		
HLY12-1002	-6AN, Standard 40-70 PSI	
HLY12-1003	-8AN, Standard 40-70 PSI	
HLY12-1004	-6AN, Extended 40-100 PSI	
HLY12-1005	-8AN, Extended 40-100 PSI	
<b>In-Line Fuel Pulse Dampers</b>		
HLY12-1006	-6AN, Standard 40-70 PSI	
HLY12-1007	-8AN, Standard 40-70 PSI	
HLY12-1008	-6AN, Extended 40-100 PSI	
HLY12-1009	-8AN, Extended 40-100 PSI	

## 4WD/Truck/Off-Road LS Swap Oil Pan Kit

Oil pan kit eases the swapping of LS engines into 1973-87 GM K10 and other 4WD vehicles, providing necessary clearance for the chassis and drivetrain. Kit provides OEM-style oil filter and oil cooler port provisions, and is compatible with SM465, NV4500, TH-350, TH-400, 700-R4, 4L60, 4L70, 4L80, 6L80, and 6L90 transmissions. Includes cast aluminum oil pan, sump baffle, pick-up tube, oil filter stud, oil passage cover, and related hardware. An optional off-road oil pan baffle kit and rock shield are also offered.



Part No.	Description	Price
HLY302-4	LS Swap Oil Pan Kit, Natural Finish	
HLY302-4BK	LS Swap Oil Pan Kit, Black Finish	
<b>Optional Accessories</b>		
HLY302-33	Off-Road Oil Pan Baffle Kit	
HLY302-35	Off-Road Oil Pan Rock Shield	

## Two-Piece Valve Covers for GM LS

Innovative, two-piece cast aluminum valve covers allow updating Gen. III/IV LS engine appearance without the need for complex adapters or coil relocation. Modular covers combine an OE height, internally-baffled valve cover base with integrated coil mounts and a Ford-style over cover that hides the coils and wiring harnesses. Each set includes billet oil fill cap, hardware, and spacers for mounting Gen. I or Gen. V style LS coil bodies. Offered with natural cast, polished, or satin black finish. **NOTE: Valve covers accept Gen. I or Gen. V style LS coil bodies only.**



Part No.	Description	Price
HLY241-185	Natural Cast	
HLY241-186	Polished	
HLY241-187	Satin Black	





## Ford Godzilla 7.3L High Mount Accessory Drive Kit

Utilized to aid Godzilla engine swaps into Fox bodies, kit is engineered to place the accessory drive in a high mount position, allowing eased engine placement while providing clearance for the stock hood. Compatible with most OEM and aftermarket pulleys and dampers, kit includes timing cover, crank concentric driven Gerotor oil pump, cast 6.5-qt. oil pan with windage tray and baffle system, water pump, alternator, and option for A/C and P/S. Choose from kits with natural or black finish.



Part No.	Description	Price
HLY20-340	Natural	
HLY20-340BK	Black	

## Ford Godzilla 7.3L Low-Profile Intake Manifold

Low-profile, cast aluminum intake manifold, when paired with HLY20-340/20-340BK accessory drive kit, allows easy engine installation into a variety of older vehicles while retaining the OEM hood. Manifold provides an additional 2"-3-1/2" of hood clearance, corrects the OEM throttle body angle by 55°, and increases the opening to 92mm. Compatible with three different throttle bodies, manifold is offered with natural or black finish. Includes throttle body gasket, O-rings, and required hardware.  
**NOTE: Manifold may be used with 1986-93 5.0L Mustang drive-by-cable throttle body, 2020-23 7.3L drive-by-wire throttle body, or 2020-23 GT500 drive-by-wire throttle body (with HLY300-903).**



Part No.	Description	Price
HLY300-900	Godzilla Intake Manifold, Natural	
HLY300-900BK	Godzilla Intake Manifold, Black	
<b>Optional Components</b>		
HLY300-903	Throttle Body Adapter for 2020-23 GT500 DBW throttle body	
HLY300-905	Hardware and O-Ring Kit for HLY300-900/300-900BK	
HLY300-906	O-Ring Kit for HLY300-900/300-900BK	

## Sniper EFI 2 Upgrade Kits

Kits allow converting from the original Sniper EFI to Sniper 2, yet without re-wiring. Sniper 2 EFI is an easy-to-install, self-tuning EFI conversion for 4150-flanged manifolds that includes 14 new features for easier cold starts, smooth driveability, and improved fuel economy. Choose from polished or black kits without or with fuel system, which includes fuel pressure regulator, fittings, and 3' of fuel hose. Polished or black finish.



Part No.	Description	Price
<b>Sniper 2 EFI Complete Upgrade Kit with Fuel System</b>		
HLY550-510-3AE	Polished	
HLY550-511-3AE	Black	
<b>Sniper 2 EFI Base Upgrade Kit</b>		
HLY550-510-3AX	Polished	
HLY550-511-3AX	Black	

## Sniper EFI 1 to Sniper EFI 2 Adapter Harness HLY558-489

Wiring harness eliminates the need for re-wiring when switching from the original Sniper EFI to Sniper 2. Single step, plug-and-play upgrade connects an existing Sniper 1 wiring harness to a Sniper 2 throttle body that does not utilize a Power Distribution Module (PDM).



## Sniper 1 Transmission Control Kit

Engineered for use with GM or Ford electronic 4-speed automatic transmissions, Sniper transmission controller connects to the Sniper EFI system and is programmed via an existing or included Sniper 3.5" touchscreen, allowing the tuning of upshifts, downshifts, WOT shift points, shift firmness, and torque converter lock-up. **NOTE: Compatible with GM 4L60/70/80E and Ford AODE and 4R70W 4-speed automatic transmissions.**



Part No.	Description	Price
HLY551-100	Sniper Transmission Controller Only	
HLY551-101	Sniper 1 Kit	
HLY551-102	Full Standalone Kit with 3.5" Handheld, for Carbureted Applications	
HLY551-103	Sniper 2 Kit, EFI Specific	

## Transmission Control Harnesses

Complete, plug and play terminated wiring harnesses are offered to operate popular GM or Ford electronic automatic transmissions.



Part No.	Description	Price
HLY558-405	GM 4L60E; 4L80E, 1996-2008	
HLY558-455	GM 4L60E, 2009-Up, for Holley Dominator ECU	
HLY558-470	Ford 4R70W; 4R75W, 1998-Up, for Holley Dominator EFI or Terminator X Max	
HLY558-471	Ford AODE; 4R70W, 1992-97	

## Tremec TKX Wiring Harness HLY558-482

Engineered for use with Terminator X Max ECU's on V3 Build 100, Holley EFI V6 Build 300 or later to provide reverse lockout and back-up light functions.





## Q-Jet Carburetors

Renowned for its reliability, performance, and fuel economy, the Q-Jet 4bbl carburetor is available once again. All-new carburetors are manufactured with all new components prior to being assembled and run tested in the USA. Each includes a lean/rich adjustment that allows 15% +/- main circuit adjustment for precise tuning. Offered in 650 or 695 CFM versions, carburetors include electric chokes, and "C" or "U" type throttle linkage. Marine versions that meet U.S. Coast Guard requirements are also available.



Part No.	Description	Price
<b>650 CFM Carburetors</b>		
PQX4228331	"C" Style Linkage	
PQX4228351	"U" Style Linkage	
PQX4228371	Marine Carburetor, Mercruiser Linkage	
<b>695 CFM Carburetors</b>		
PQX4245431	"C" Style Linkage	
PQX4245451	"U" Style Linkage	
PQX4245471	Marine Carburetor, Mercruiser Linkage	

## Black Label SFI-Approved Flexplates

Premium-quality flexplates meet stringent SFI 29.1 specifications. Compatible with most aftermarket racing and high-performance torque converter bolt patterns.



Part No.	Description	Price
<b>Internal</b>		
PQX2034672	GM LS1, 1997-Up	
PQX2036471	GM LS, 168-Tooth, Quick Rev	
PQX2036472	GM LS, 168-Tooth, High Inertia/Quick Launch	
PQX2035073	SB/BB Chevy, 168-Tooth	
<b>External</b>		
PQX2030271	SB Ford, 164-Tooth, 28 oz. Wt.	
PQX2030272	SB Ford 302, 1982-95, 164-Tooth, 50 oz. Wt.	



## MAX No-Drill Side Steps

MAX bolt-on side steps mount easily with factory designed mounting point and feature a slip-resistant thread pattern, corrosion-resistant aluminum body, and measure 10" wide, 5-1/2" deep. Available with polished or black powder-coated finish and with or without lights.

Part No.	Description	Price
CTA140101-1	Black Powder-Coated	
CTA140102-1	Polished	
CTA140201-1	Black Powder-Coated, with Light	
CTA140202-1	Polished, with Light	



## Retro LS Port 750 HP EFI Systems

Cutting-edge systems are the ideal EFI upgrade for popular LS engines. Systems have the capability of handling up to 750 horsepower on gasoline, and are compatible with boost or nitrous. Packages include premium cast aluminum intake, Classic series throttle body injection, fuel pressure regulator, injectors, fuel rails, AN fittings, dual O2 sensors, and ECU compatible with GM 4L60E or 4L80E transmissions. Offered for LS1 or LS3 style cylinder heads with matte black or classic gold finish.



Part No.	Description	Price
FIT37002	Matte Black, with Cast LS3 Intake	
FIT37003	Classic Gold, with Cast LS3 Intake	
FIT37005	Matte Black, with Cast LS1 Intake	
FIT37006	Classic Gold, with Cast LS1 Intake	

## Ultimate Rebel LS EFI Systems

Combining a sleek design with advanced EFI technology, Ultimate Rebel systems are designed specifically for LS1, LS2, or LS6 engines and offer a user-friendly installation. Systems are offered in 500, 750, or 1,000 horsepower versions and are compatible with boost or nitrous. Includes low-profile manifold, ECU, sensors, throttle body, harness, fuel rails, fuel pressure regulator, throttle cable brackets, and all required hardware. Choose from systems with or without trans control.



Part No.	Description	Price
<b>Ultimate Rebel LS 500 HP EFI</b>		
FIT70088	Without Trans Control	
FIT70089	With Trans Control	
<b>Ultimate Rebel LS 750 HP EFI</b>		
FIT70090	Without Trans Control	
FIT70091	With Trans Control	
<b>Ultimate Rebel LS 1000 HP EFI</b>		
FIT70092	Without Trans Control	
FIT70093	With Trans Control	



## Transmission Crossmembers

Bolt-on steel crossmembers feature a durable black powder-coated finish and include mounting hardware.



Part No.	Description	Price
GFCGFRMOP	1966-70 Mopar B-Body	
GFCRCC10-4	1988-98 GM 2WD GM Trucks	
GFCRCC10-4PRO	1988-98 GM 2WD GM Trucks, LS Swap	



# NEW PRODUCTS



## SB Chevy Enforcer Top End Kits

Among the most complete top end kits currently offered, each package includes one pair of fully assembled, Enforcer 195cc "as-cast" aluminum cylinder heads with 64cc combustion chambers, Eliminator dual plane intake manifold, cylinder head and intake manifold bolts; cylinder head, intake manifold, and valve cover gaskets, and a complete set of spark plugs. Choose from packages with straight or angle plug cylinder heads.

Part No.	Description	Price
AFR3900-TEKT	With Enforcer Straight Plug Heads	
AFR3901-TEKT	With Enforcer Angle Plug Heads	

## SB Ford 302-351W Enforcer Top End Kit

### AFR3910-TEKT

All-inclusive top end kit is complete with one pair of fully assembled, Enforcer 185cc "as-cast" aluminum cylinder heads with 64cc combustion chambers, Renegade single plane intake manifold, cylinder head and intake manifold bolts; cylinder head, intake manifold, and valve cover gaskets, and a complete set of spark plugs.



## Big Block Chevy Magnum Intake Manifold

### AFR4910

Manifold delivers increased horsepower and torque to big block Chevys, and is the perfect match for AFR's Magnum oval port cylinder heads. Dual plane design provides an 1,800-6,200 RPM operating range, optimum for high performance street applications. Includes a 4150 carburetor flange.



## StrongArm Suspension Kit

### ART11527199

Ridetech's unique StrongArm system utilizes an offset trailing arm with a trussed style design which permits maximum tire width while providing superior strength. With 1-3" adjustable stance lowering capabilities and tubular cross member placing the coil overs to the rear of the axle, this system provides the utmost in suspension durability in 1963-79 Chevy Corvettes.



## HQ Coil-Over Systems

Ridetech HQ coil-over systems are designed to deliver high-quality ride and handling. With these complete suspension kits, all the guesswork disappears through Ridetech's rigorous data collection to find the perfect spring rate and components.



Part No.	Description	Price
ART11530202	1963-79 Chevy Corvette	
ART12320201	1965-72 Ford F100	



## FORD PERFORMANCE

## 460 Siamese Big Bore Engine Block FRDM6010-A460XBB

Manufactured with all new tooling, high-strength cast iron block includes four-bolt main caps on journals 2, 3, and 4, and may be bored/stroked to achieve up to 598 cu. in.. Block is rough bored to 4.490" +/- .003" and has a maximum bore of 4.625". It includes nodular iron main caps and siamese cylinder bores for added durability.



## Coyote Iron Race Block

### FRDM6010-M50X

Cast iron version of the 2011-17 Coyote engine block is ideal for maximum effort, boosted engine builds. Capable of up to 5.6L displacement, block features lengthened bores, billet steel 6-bolt main caps with ARP hardware, and a revised deck design for added strength. Block includes standard bore spacing, deck height, and a 3.630" finished bore. **NOTE: Accepts Gen. 1 and 2 Coyote 5.0L, and Gen. 1, Gen. 2, and Gen. 3 GT350 5.2L cylinder heads.**



## 7.3L Super Duty Low-Profile Intake Manifold

Manifold offers 10+ horsepower when compared to the OEM 2020 Super Duty unit, while including the ability to accept a larger, 92mm GT500 throttle body. Low-profile design offers improved hood clearance for popular 7.3L engine swaps. Throttle body offered separately. **NOTE: Custom engine calibration required.**



Part No.	Description	Price
FRDM9424-73LP	7.3L Super Duty Intake Manifold	
FRDM9926-M5292	2020-22 GT500 92mm Throttle Body	



## Front and Rear Complete Kit

Belltech lowering kits include all the pieces needed to create not only the look, but the ride, performance, and safety Belltech is dedicated to providing. Kits fit 2019-present GM 1500.



Part No.	Description	Price
BLL350344SP	0"-3" Front/ 4" Rear Lower, Street Performance Struts	
BLL350345	2" Front/4" Rear Lower, No Shocks	

## Performance Handling Kit

### BLL350345HK

Performance handling kits combine Belltech's new adjustable front coilovers with time-tested lowering components. Kit provides 2019-present GM 1500 with 2"-4" front/4" rear lowering adjustability.



# NEW PRODUCTS



## Windshield Channel

BES51243-01

Corrosion-resistant bolt-on windshield channel requires no drilling by mounting into factory header latch holes and is required for mounting a Bestop Bikini top to 2007-18 Jeep Wrangler JK.



## Seat Slider Kit

BES51255-01

Bestop's bolt-on seat slider kit is recommended when installing a Trailmax II. Kit features a double locking mechanism and black powder-coated finish. Fits 1955-95 Jeep CJ/ Wrangler YJ.



## Supertop Squareback Soft Top

BES54722-35

Bestop took its Supertop Classic and made it even better. This new Supertop features a Sunrider flip-back panel, 28-oz multi-layer fabric, factory-style door surrounds, and tinted side and rear windows. Fits 2007-18 Jeep Wrangler JK.



## Trektop Glide Slantback Softop

BES54923-35

Innovative fast-back glide top functions like a convertible top, slide out the zipper-less window panels and the top folds down behind the rear seat. Top features 40 mil tinted window panels with full-perimeter heat-sealing.



## Trektop Ultra Slantback Soft Top

BES54925-17

Trektop Ultra feature the same durable material and tinting as the Supertop Ultra soft top and adds the sought after slantback styling. Top can be fully-enclosed, sunrider open, safari-style bikini, or fully open.



## Trektop Slantback Soft Top

BES56820-35

Trektop Slantback Soft Top is one of the best-selling tops available today. Top features removable 18% tinted 30 mil rear/side windows to function as a bikini top and tailgate bar, allowing for the tailgate to be opened without unzipping the rear window. Fits 1997-06 Jeep Wrangler TJ.



## All Weather Trail Cover

BES81037-09

Never get caught in the rain with Bestop All Weather Trail covers. Cover provides a tight fitting shield for when weather strikes while trail riding without a soft top.



## 2022-Present Ford Bronco Rear Sway Bar

HEL7900

Built to outperform the competition, Hellwig sway bars feature a 7/8" diameter and silver powder-coated chromoly body.



## Magnum Force Stage-2 Cold Air Intake Systems

Force Stage-2 cold air intake systems deliver a massive performance upgrade from factory air intake systems. These bolt-on systems are guaranteed to deliver dyno-proven increases in horsepower and torque.



AFE54-13072D



AFE54-13078D

Part No.	Description	Price
<b>2021-Present 6.2L Dodge RAM 1500</b>		
AFE54-13072D	Dry Reusable Filter	
AFE54-13072R	Oiled Reusable Filter	
<b>2021-Present Jeep Wrangler JL</b>		
AFE54-13078D	Dry Reusable Filter	
AFE54-13078R	Oiled Reusable Filter	

## Super Stock Cold Air Intake

Super Stock intakes require no additional tune once installed to boost horsepower and torque. Featuring a washable and reusable filter, Super Stock cold air intake systems are an easy upgrade for 2021-present 6.2L Dodge RAM 1500 TRX.



Part No.	Description	Price
AFE55-10014D	Dry	
AFE55-10014R	Oiled	

## Track Series Carbon Fiber

### Cold Air Intake System

AFE57-10022D

Open element housing utilizes factory hood inlet scoop and grille air inlet for maximum cooling. AFE power's Track Series cold air intakes feature a lightweight, high-gloss twill weave carbon fiber intake tube that give the 2021-present 6.2L Dodge RAM 1500 TRX engine bay the look it deserves.







## 1982-92 Chevy Camaro Lower A-Arms

BMR Suspension's Camaro A-arm replacements are fabricated from heavy-duty DOM tubing and feature Delrin bushings to add a solid and more responsive feel. Black powder-coated A-arms pairs are available in coilover or spring pocket styles.



Part No.	Description	Price
BMRAAL331H	Spring Pocket	
BMRAAL333H	Coilover	

## Front Bumper Support

### BMRBSF731H

BMR front bumper support is fabricated from chromoly steel tubing and 3/16" laser cut plates to cut 20 lbs. of weight while retaining strength. Fits 1990-04 Ford Mustang.



## Tubular K-Member kit

Reduce weight, increase front end rigidity, and add clearance for large-tube headers and turbo kits with a tubular K-members. BMR K-members are designed for either factory or manual steering racks. Black powder-coated K-member fits 1993-02 GM F-body.



Part No.	Description	Price
BMRKM344H	Factory Steering Rack	
BMRKM349H	Pinto Steering Rack	

## Rear Adjustable Sway Bars

BMR adjustable rear sway bars are designed by factoring in the vehicle weight, application, motion ratio, coil spring rate, and adjustability needs. Whether it's on the street, drag strip, or road race track, these powder-coated rear sway bars dramatically reduce body roll. Fits 1993-02 Chevy Camaro.



Part No.	Description	Price
BMRSB345H	Black	
BMRSB345R	Red	

## Front Sway Bar Mounts

### BMRSMK340H

Factory sway bar mounts are vulnerable to corrosion causing stress point to break. BMR are made from laser cut high-strength steel and black powder-coated for superior reliability and rust resistance. These sway bar links are a direct replacement for 1993-02 F-body and require no cutting or fabrication to install.



## 2" Drop Lowering Springs

Manufactured from chrome silicon high-tensile spring wire, cold wound on a CNC coiling machine and featuring a red powder, BMR Suspension's 2" lowering springs are the perfect choice to give any 1978-87 GM G-body an aggressive stance. Sold in pairs.



Part No.	Description	Price
BMRSF464R	Front	
BMRSF465R	Rear	



## GT9 Retro Steering Wheels

Retro style steering wheels feature carbon-tech wrapped grip, GT9 horn button with satin finish, and 9 to 3 bolt conversion adapter.



Part No.	Description	Price
GTP32-43688	D-Shape, 3-Spoke, 13-1/2" Dia., 2" Dish	
GTP38-43448	Cobra Style, 13-3/4" Dia., 2-1/4" Dish	



## SS Exhaust Tips

Clamp-on exhaust tips are the perfect customizable option for exhausts and feature a black ceramic coating.



Part No.	Description	Price
FLO15404B	2-1/2" Inlet, 4-1/2" Outlet, 11" Long	
FLO15405B	3-1/2" Inlet, 5" Outlet, 12" Long	
FLO15406B	3" Inlet, 4-1/2" Outlet, 11" Long	
FLO15407B	3" Inlet, 4-1/2" Outlet, 7" Long	

## Delta Force Cold Air Intake

### FLO615212

Delta Force cold air intakes produce dyno-proven gains of up to 13 hp and 17 lb-ft at the rear wheel over stock outputs. The custom molded black high-flow intake tube, black anodized aluminum fittings, reinforced silicone couplers, and stainless steel hardware give the engine bay of 2019-22 6.4L RAM 2500/3500's a ultra-slick look.



## FlowFX Cat-Back Exhaust Systems

FlowFX cat-back exhaust system uses dual black ceramic-coated tips, mandrel-bent tubing, and FlowFX series mufflers to produce a moderate to aggressive exhaust note and increase performance. Kit.



Part No.	Description	Price
<b>2018-Present Dodge Charger</b>		
FLO717996	2-1/2" Tube, 4" Tips	
<b>2020-23 3.0 Ford Explorer</b>		
FLO717999	3" Tube, 3-1/2" Tips	

## Universal Flowmaster FX Series Mufflers

FX series mufflers provide a moderate exhaust note to upgrade your exhaust system from the traditional chambered sound.



Part No.	Description	Price
FLO72206	2-1/2" Side Inlet, Dual 3" Outlet, 18" x 9" x 4" Oval Body, 24" Long	
FLO72619	3" Inlet, 3" Outlet, 20" Long	





## Air Cleaner Base Plate KNR01988

Stainless steel 11" O.D. air cleaner base features chrome finish and 5-1/8" I.D. Sold each.



## Tapered Oval Air Filter Element KNR100-8521

Tapered oval air filter is custom designed for the Enderle Bird Catcher hat with ultra-light weight carbon fiber top plate, base plate, and flange. Filter media can be washed and reused multiple times.



## Sprint Car Air Boxes

Custom racing sprint car air boxes come in a variety of sizes to fit any setup.

Part No.	Description	Price
KNR100-8559	19" x 14" Rectangle, 6-1/2" Tall	
KNR100-8564	18-7/8" x 13-3/4" Rectangle, 6-1/4" Tall	
KNR100-8570	7-1/2" x 19" Rectangle, 6-1/2" Tall	
KNR100-8576	7-1/2" x 19" Rectangle, 4-3/4" Tall	
KNR100-8591	18-7/8" x 13-3/4" Rectangle, 4-1/8" Tall	
KNR100-8593	Gen 2, 19" x 14" Rectangle, 4-1/8" Tall	

## Air Filter Wrap KNR100-8576PK

Filter wrap is designed to extend the service intervals of filtercharger filters when used during dusty conditions. Durable polyester material will stop small particles of dirt out of the filter with minimal restriction to airflow.



## Sprint Car Air Box Base KNR100-8590

Air cleaner box base is made from a carbon fiber composite making it stiff and lightweight. Base is washable and reusable.



## Stub Stack Air flow Directors

K&N stub stacks are designed to increase carburetor airflow by decreasing restriction around the choke horn. Stacks measure 1-11/16" tall with 6-31/32" OD.



Part No.	Description	Price
KNR85-0200	Holley 4150/4160	
KNR85-0210	Holley 2300	
KNR85-0600	Holley Dominator, 1-1/4" Tall, 7-3/16" OD	

## Air Cleaner Gasket KNR85-9988

Neoprene air cleaner gasket for 5-1/8" flange.



## Air Cleaner Replacement Plates

14" round air cleaner plates for replacement or special application.



Part No.	Description	Price
KNR85-1541	5-1/8" Carb Flange, 9/16" Raised Base, Steel, Chrome	
KNR85-3545	5-1/8" Carb Flange, 13/16" Drop Base, Steel, Chrome	
KNR85-3549	5-1/8" Carb Flange, 1" Drop Base, Steel, Chrome	
KNR85-3552	7-5/16" Carb Flange, 7/8" Raised Base, Plastic, Black	
KNR85-6842	Lid, Steel, Chrome, K&N Logo	

## Air Filter Spring Clips

Steel air filter spring clips create a positive seal between the filter, base, and top. Black painted finish.



Part No.	Description	Price
KNR85-83890	14" x 4" Flow Control Air Cleaner, Set of 4	
KNR85-83893	6" Spring Box, Set of 6	
KNR85-83897	4" Spring Box, Set of 6	

## Air Filter Oil

K&N red air filter oil is specially designed to work with K&N cotton filter elements to provide top-of-the-line air filtration.

Part No.	Description	Price
KNR99-0504	6.50-oz. Aerosol	
KNR99-0516	12.25-oz. Aerosol	
KNR99-0533	8-oz. Squeeze Bottle	
KNR99-0551	1 Gallon Jug	



## Air Filter Cleaners

K&N air filter cleaners work by dissolving grime and dirt build up so it can be washed away with water.

Part No.	Description	Price
<b>Power Klean</b>		
KNR99-0606	12-oz. Pump Bottle	
KNR99-0621	32-oz. Spray Bottle	
KNR99-0635	1 Gallon Jug, Spray Nozzle	
<b>Dryflow</b>		
KNR99-0624	32-oz. Spray Bottle	
<b>Heavy Duty</b>		
KNR99-0638	1 Gallon Jug, Spray Nozzle	



## Sealing Grease KNR99-0704

Formulated to create a airtight fit around sealing surfaces on various types of air filter elements, grease is heat resistant and will not melt or run off. Not for use with clamp-on filter elements.



## Power Klean Air Filter Service Kit KNR99-5000

The Power Klean air filter service kit provides everything needed to clean and oil K&N air filters. Kit includes a 12-oz. pump bottle of cleaner and 6.5-oz. aerosol can of filter oil.



# NEW PRODUCTS



## Style Track 5.0 Pulley Kit MPP30810

Designed to fit a variety of belt lengths and aid in custom routing configurations, the Style Track 5.0 pulley kit is a combination of style and economic pricing. Kit features multi-position tensioner adjustments, clear powder-coated finish, and allows for the use of a mechanical fuel pump and timing cover from late 60's, 70's, 80's, and 90's applications. Fits Ford 289, 302, and 351W.



## GM Valley Cover Plates

ICT billet polished aluminum valley covers with O-rings for 2019 Gen V L82.



Part No.	Description	Price
ICT551174-L87	With Oil Pressure Sensor Location	
ICT551182-L87	Without Oil Pressure Sensor Location	

## Replacement AC Compressor Bracket ICT551197-LSA01

Passenger side-mounted aluminum air conditioning bracket aligns compressor with the rear, 4-belt location on the crankshaft pulley and features a clear anodized finish. Compatible with 2012-15 Chevy ZL1 LS3 Camaro.



## Oil Restrictor Barbell ICT551284-LS

Aluminum oil galley plug has an O-ring seal and works with LS1/LS3/L92/LQ4/LQ9/LSX. Sold each.



## 5w50 Short Track Racing Oil

Torco short track race oil is 100% synthetic, optimized for the race track, and dyno tested to deliver up to a 6 horsepower increase over other racing oils.

Part No.	Description	Price
TRCP010002CE	1-Liter Bottle, Single	
TRCP010002C	1-Liter Bottle, Case of 12	



## Ford EV Flashcall SCI1549

The Flashcall for Ford EV gives provides the ability to customize lighting configurations, TPMS settings, and tire size. Works with 2021-present EV trucks and Mustang Mach-E.



## 1973-91 GM C10/K10 Power Brake Booster


Compact-10 series 8" O.D. dual diaphragm brake boosters features a direct-fit firewall mounting bracket and is designed to provide increased clearance for the engine and wheel well.



Part No.	Description	Price
LEEPBKT6000	Zinc Plated	
LEEPBKT6011	Chrome Plated	

## 1973-87 GM C10/K10 Power Brake Booster and Master Cylinder LEEPBKT6001

Compact-10 series 8" O.D. dual diaphragm brake booster and 1-1/8" bore master cylinder features a dual integral reservoir and is designed to provide increased clearance for the engine and wheel well.



## Wedge Lock Header Bolts

Hex head grade 8 header bolts are nickel plated for addition corrosion resistance and feature super-hardened washers with tough grip teeth to grip to the bolt head and top surface of the header.



Part No.	Description	Price
PFM66823	3/8"-16 Thread, 3/4" Long, Set of 16	
PFM66824	3/8"-16 Thread, 1" Long, Set of 12	
PFM66825	3/8"-16 Thread, 1" Long, Set of 16	
PFM66826	8mm x 1-1/2" Thread, 1.181" Long, Set of 16	
PFM66827	3/8"-16 Thread, 3/4" Long, Set of 16	





# NEW PRODUCTS FOR 2024!

## Aluminum Reusable Hose Ends

Part No.	AN Size	Price
<b>Straight</b>		
ALL49312	-6	
ALL49313	-8	
ALL49314	-10	
ALL49315	-12	
ALL49316	-16	
<b>30° Elbow</b>		
ALL49322	-6	
ALL49323	-8	
ALL49324	-10	
ALL49325	-12	
ALL49326	-16	
<b>45° Elbow</b>		
ALL49332	-6	
ALL49333	-8	
ALL49334	-10	
ALL49335	-12	
ALL49336	-16	
<b>60° Elbow</b>		
ALL49342	-6	
ALL49343	-8	
ALL49344	-10	
ALL49345	-12	
ALL49346	-16	
<b>90° Elbow</b>		
ALL49352	-6	
ALL49353	-8	
ALL49354	-10	
ALL49355	-12	
ALL49356	-16	
<b>120° Elbow</b>		
ALL49362	-6	
ALL49363	-8	
ALL49364	-10	
ALL49365	-12	
<b>150° Elbow</b>		
ALL49372	-6	
ALL49373	-8	
ALL49374	-10	
ALL49375	-12	
<b>180° Elbow</b>		
ALL49382	-6	
ALL49383	-8	
ALL49384	-10	
ALL49385	-12	
ALL49386	-16	



## Aluminum Pushlock Hose Ends

Part No.	AN Size	Price
<b>Straight</b>		
ALL49411	-4	
ALL49412	-6	
ALL49413	-8	
ALL49414	-10	
ALL49415	-12	
ALL49416	-16	
<b>30° Elbow</b>		
ALL49422	-6	
ALL49423	-8	
ALL49424	-10	
ALL49425	-12	
ALL49426	-16	
<b>45° Elbow</b>		
ALL49431	-4	
ALL49432	-6	
ALL49433	-8	
ALL49434	-10	
ALL49435	-12	
ALL49436	-16	
<b>60° Elbow</b>		
ALL49442	-6	
ALL49443	-8	
ALL49444	-10	
ALL49445	-12	
ALL49446	-16	
<b>90° Elbow</b>		
ALL49451	-4	
ALL49452	-6	
ALL49453	-8	
ALL49454	-10	
ALL49455	-12	
ALL49456	-16	
<b>120° Elbow</b>		
ALL49462	-6	
ALL49463	-8	
ALL49464	-10	
ALL49465	-12	
ALL49466	-16	
<b>150° Elbow</b>		
ALL49472	-6	
ALL49473	-8	
ALL49474	-10	
ALL49475	-12	
ALL49476	-16	
<b>180° Elbow</b>		
ALL49482	-6	
ALL49483	-8	
ALL49484	-10	
ALL49485	-12	
ALL49486	-16	



To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit [www.allstarperformance.com](http://www.allstarperformance.com)